

***Gerontological Nursing 4th edition Tabloski Test
Bank***

SKU: 9780134554303-TEST-BANK

Gerontological Nursing, 4e (Tabloski)
Chapter 2 Contemporary Gerontological Nursing

1) The nurse supports an older client's desire to discuss advance directives with the client's family. What action is the nurse performing with this client?

1. Facilitating palliative care
2. Educating the family on healthcare services
3. Collaborating with the interdisciplinary team
4. Advocating for client's rights and autonomy

Answer: 4

Explanation: 1. Palliative care alleviates pain and suffering. There is no information to suggest the client is in need of palliative care.

2. Educating the clients on healthcare services is important, but the nurse is not educating in this role, they are supporting a discussion with the family.

3. Collaboration with the interdisciplinary team would include the nurse working with other professionals to provide client care. The nurse is not collaborating with other professionals regarding the client's desire to complete advance directives.

4. The nurse is advocating for the family and client regarding end-of-life decisions. This is included in the knowledge and skills of gerontological nurses.

Page Ref: 29

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 4. Describe the ANA standards and scope of practice for gerontological nursing.

2) The nurse supports an older client's autonomy; which decision supports this ethical principle?

1. Client wants to see case management for Medicaid resources.
2. Client decides to stop further chemotherapy treatments.
3. Client is given more education regarding medication side effects.
4. Client treatment information is kept from client because of family request.

Answer: 2

Explanation: 1. Justice involves fairness and equal distribution of resources to all in need.

2. Autonomy is the respect for a client's self-determination, freedom, and rights including the right to refuse treatment.

3. Beneficence is the principle of doing "good" and not doing harm to clients.

4. Nondisclosure is an ethical issue when persons who care about a client, such as family, do not want a client to be told the entire facts of a negative prognosis in order to protect the client from anxiety and fear.

Page Ref: 42-43

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 1. Discuss the nurse's role in caring for older adults.

3) The nurse is preparing to assess an older client using functional health patterns. How does this approach ensure holistic care will be provided to the client?

1. Focuses on the effects of diseases
2. Predicts the outcome for clients with disabilities
3. Demonstrates the client's interaction with the environment
4. Identifies the potential for rehabilitation early in the process

Answer: 3

Explanation: 1. Functional health patterns are an interrelated group of behavioral areas that provides a view of the whole person and the relationship with the environment. Functional health patterns do not focus on the effects of diseases.

2. Functional health patterns are an interrelated group of behavioral areas that provides a view of the whole person and the relationship with the environment. Functional health patterns do not predict the outcome for clients with disabilities.

3. Functional health patterns are an interrelated group of behavioral areas that provides a view of the whole person and the relationship with the environment.

4. Functional health patterns are an interrelated group of behavioral areas that provides a view of the whole person and the relationship with the environment. Functional health patterns do not identify the potential for rehabilitation early in the process.

Page Ref: 33

Cognitive Level: Analyzing

Client Need: Health Promotion and Maintenance

Client Need Sub: Health Promotion and Disease Prevention

Nurs/Integ Conc.: Nursing Process: Assessment

Learning Outcome: 5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

4) Which action by the gerontological nurse demonstrates the role of manager?

1. Performing blood pressure screenings
2. Performing a skin assessment
3. Researching the latest evidence-based practice on wound care
4. Arranging respite care for a client

Answer: 4

Explanation: 1. Participating in taking blood pressure screening is within the traditional nursing role of clinical practitioner.

2. Participating in skin assessments are within the traditional nursing role of clinical practitioner.

3. The nurse is functioning within the role of researcher when seeking the latest evidence-based practice.

4. The nurse is functioning in the role of manager by connecting a client to community resources and coordinating the transfer of care of the client needing respite care.

Page Ref: 32

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 1. Discuss the nurse's role in caring for older adults.

5) The nurse is completing a functional health pattern assessment with an older client. Which assessment finding reflects the cognitive-perceptual category?

1. Participates in church choir
2. Volunteers for political functions
3. Attends meditation classes weekly
4. Attends self-help seminars

Answer: 2

Explanation: 1. The functional health pattern assessment consists of 11 health patterns. The values-beliefs category includes the client's beliefs, values, and perceptions about the meaning of life.

2. The functional health pattern assessment consists of 11 health patterns. The cognitive-perceptual pattern includes how the client thinks and perceives the world and current events. The client's activities with political functions would be part of this assessment.

3. The functional health pattern assessment consists of 11 health patterns. Coping-stress tolerance includes patterns of coping with stressful events and the level of effectiveness of coping strategies.

4. The functional health pattern assessment consists of 11 health patterns. Self-perception-self-concept identifies patterns of how a person views and values the self.

Page Ref: 34

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Health Screening

Nurs/Integ Conc.: Nursing Process: Assessment

Learning Outcome: 5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

6) The nurse documents values-beliefs in the functional health pattern categories; which of the following is an example of this domain?

1. A client's religious affiliation
2. Daily fluid consumption
3. Sleep and rest patterns
4. Coping strategies

Answer: 1

Explanation: 1. The values-beliefs category of the functional health pattern assessment includes beliefs, values, and perceptions about the meaning of life. A client's participation in a religion would be part of this assessment.

2. Daily fluid consumption is part of the nutrition-metabolic category.

3. Sleep and rest are part of the sleep-rest category.

4. The coping-stress tolerance category of the functional health pattern assessment includes patterns of coping with stressful events and the effectiveness of coping strategies.

Page Ref: 34

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Religious and Spiritual Influences on Health

Nurs/Integ Conc.: Nursing Process: Assessment

Learning Outcome: 5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

7) A hiring manager is hiring a certified gerontological nurse. Which candidate would be qualified for this position?

1. The nurse has a master's degree in nursing and has worked in a nursing home for 10 years.
2. The nurse has worked in administration at a geriatric psychiatric facility for 5 years.
3. The nurse has worked full time at least 2 years in gerontological nursing and is in a PhD program.
4. The nurse's clinical competence in gerontological nursing has been validated via testing.

Answer: 4

Explanation: 1. The nurse does not need to have a master's degree to be credentialed as a gerontological nurse.

2. Certified nurses can work in administration but also provide direct client care. Working in administration at a facility is not a prerequisite for certification.

3. In order to qualify to take the certification examination, the nurse must have practiced the clinical equivalent of 2 years full time or a minimum of 2,000 hours over the past 3 years.

4. Certification is a formal process by which clinical competence is validated in a specialty area of practice.

Page Ref: 28

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Planning

Learning Outcome: 2. List appropriate educational preparation and certification requirements of the gerontological nurse generalist and specialist.

8) An older client with chronic health problems does not want to be admitted to a nursing home for continued care. What can the nurse explain to the client about nursing homes today? Select all that apply.

1. Nursing homes are for short-term stays.
2. Nursing homes help the client with activities of daily living.
3. Nursing homes are being replaced with community-based services.
4. Nurses in nursing homes provide at least 5 hours of care to each client each day.
5. Nursing homes help with bathing, toileting, meals, and medication administration,

Answer: 1, 2, 3, 5

Explanation: 1. The number of discharges from nursing homes has increased over the years, which indicate that many long-term care facility residents are short-stay rehabilitation clients.

2. Nursing home residents are assisted with activities of daily living.

3. The decline in nursing home occupancy is attributed to more community-based services, which can delay or prevent nursing home placement in older persons.

4. Surveys indicate that nurse staffing time in nursing homes average 3.5 hours per resident per day.

5. Nursing homes help clients with bathing, dressing, eating, toileting, walking, and medications.

Page Ref: 31-32

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 3. Identify components of the long-term care system.

9) The director of nursing at a skilled facility is implementing the Quality and Safety Education for Nurses (QSEN) project to improve the quality of care of the older residents. Which topics will the director include in staff teaching? Select all that apply.

1. Directions on accessing evidence-based practice resources
2. Methods for ensuring effective team collaboration
3. A plan for staff incentives for meeting care goals
4. Examples of respectful team communication
5. Information on the most prevalent cultures in the region

Answer: 1, 2, 4

Explanation: 1. Care must always be based on current evidence. Nurses must be knowledgeable about using informatics to access the best evidence for care provision.

2. Teamwork is a knowledge, skill, or attitude that will improve the quality of care of the facility's residents by fostering open communication, mutual respect, and shared decision making to achieve better quality.

3. Staff incentives are not a knowledge, skill, or attitude that will improve the quality of care of the facility's residents.

4. For a team to function well, respectful communication is an essential skill.

5. QSEN does emphasize valuing everyone's beliefs, values, and needs. The nursing director would include information on how to be respectful of all cultures and individuals, but presenting information specific to the local area does not fully meet this criteria.

Page Ref: 30

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 6. Recognize the basis and use of QSEN standards to support and improve quality nursing care.

10) The nurse creates and implements a client's plan of care. Which client outcomes best demonstrate use of evidence-based practice in planning care for the older client? Select all that apply.

1. The client is placed in physical restraints and does not experience a fall.
2. The nurse reports to the next shift nurse that the malnourished client enjoys milkshakes.
3. The client who is at risk of deep vein thrombosis is assisted to walk three times daily.
4. The nurse requests a laxative and administers it while the client is on a narcotic.
5. The nurse allows the client with pneumonia to rest in bed throughout the shift.

Answer: 2, 3, 4

Explanation: 1. It is a positive outcome that the nurse prevented a fall, but physical and chemical restraints are used cautiously, if at all, and are not considered an acceptable fall prevention technique in the older client.

2. The nurse has evidence that this practice works well to encourage the client to take in more nutrients and calories, improving the client's health and treating the client's lack of nourishment. Though not published research, evidence of this kind is used based on trial and error to improve client outcomes.

3. Evidence states that the client at risk for DVT needs to ambulate when possible to prevent clots from forming, with or without compression socks. If ambulation is not realistic, a sequential compression device is used.

4. The nurse uses established evidence and information about narcotics to prevent the problem of constipation in the client. Constipation is the only narcotic side effect clients do not become tolerant to and older clients are at higher risk of constipation.

5. Clients with pneumonia do need rest but also need to be turned, helped to sit up in the chair, and assisted to walk if able. Resting in the bed all day is not the best intervention for the client.

Page Ref: 36

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Evaluation

Learning Outcome: 7. Relate the uses and need for gerontological nursing research as support for evidence-based practice.

11) An older client begins to cry when talking about the death of a daughter 20 years ago. Which response should the nurse make?

1. Assess the client for depression.
2. Touch the client's arm and listen in silence.
3. Ask the client to describe the details of the death.
4. Leave the client alone so they can cry.

Answer: 2

Explanation: 1. Assessing the client for depression could give the client the impression that the expression of feelings of grief is not normal or healthy.

2. Attentive listening is the key to effective communication, and the most appropriate response is to demonstrate empathy and support for the client in the expression of strong feelings. Crying can be therapeutic to the older client and offers release from persistent feelings of sadness.

3. Asking the client to describe the details of the death would not support the client's needs at this time.

4. Crying is an effective means to express emotions, but leaving them alone would not be a supportive action.

Page Ref: 44

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Grief and Loss

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 8. Summarize effective communication techniques appropriate for use with the older adult.

12) After an assessment, the nurse determines that the diagnosis of constipation is appropriate for an older client recovering from surgery. What would be a goal for this nursing diagnosis?

1. Decrease the frequency of narcotic pain medication administration.
2. Explain the importance of hydration and activity in regard to constipation.
3. Drink at least 800 ml of non-caffeinated and nonalcoholic beverages each day.
4. Evacuate a formed bowel movement at least every 2 days with minimal distress.

Answer: 4

Explanation: 1. Pain control would be addressed under a separate nursing diagnosis, even though constipation may be improved by decreasing the pain medication, a better intervention is to administer laxatives or enemas if needed.

2. The importance of hydration and activity in regards to constipation is good for the client to understand and explain, but a postoperative client does not have complete control over intake and activity. This also does not help the client reach the goal of having a bowel movement.

3. Oral fluid is often limited after surgery. Additionally, 800 ml is an insufficient amount of daily fluid intake.

4. The goal should be linked to the nursing diagnosis—be measurable, realistic, and achievable—and include a time frame for attainment. The type and frequency of bowel movement is directly connected to the nursing diagnosis. This is an appropriate goal for the nursing diagnosis of constipation.

Page Ref: 34-35

Cognitive Level: Applying

Client Need: Physiological Integrity

Client Need Sub: Reduction of Risk Potential

Nurs/Integ Conc.: Nursing Process: Planning

Learning Outcome: 5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

13) During a home visit, an older client recovering from cardiac surgery is concerned about weakness and not being able to enjoy dancing with the spouse anymore. What would be an appropriate response for the nurse to make to the client?

1. "In time, your strength will return so you can return to your activities."
2. "Tell me more about not feeling able to do what you want to do."
3. "Dancing is a strenuous activity and may no longer be appropriate for you."
4. "Do you think you are working hard enough to return to that type of activity?"

Answer: 2

Explanation: 1. The nurse does not offer false hope. The client's strength and endurance may not return fully.

2. Open-ended statements will encourage the client to talk. Sentences that ask the client to "tell me more" are helpful.

3. Not all dancing is strenuous, and the client may be able to build up cardiac endurance to return to whatever dancing is desired.

4. This statement is giving the client advice and should be avoided.

Page Ref: 43-44

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Therapeutic Communication

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 8. Summarize effective communication techniques appropriate for use with the older adult.

14) The gerontological nurse is identifying interventions based upon evidence-based practice. What is the best source of evidence-based practice information for the nurse?

1. Progress notes about methods that were previously effective for that client
2. The nurse's practice and experience with successful client interventions
3. The policy and procedures manual of the healthcare facility
4. A publicly available resource website information database

Answer: 4

Explanation: 1. Methods that were previously effective for a client may or may not be evidence-based practice interventions.

2. Interventions that are effective in the nurse's own experience may or may not be based upon evidence-based practice.

3. Policies and procedures may or may not be based upon evidence-based practice. The nurse finds the best resources and uses them to advocate for policy and procedure change where needed.

4. Sites such as the National Guideline Clearinghouse, supported by the Agency for Healthcare Research and Quality is an excellent place for nurses to obtain evidence-based practices to integrate into their practice. Interventions that support evidence-based practice are those that have been tested and have the best chance of establishing a cause-and-effect relationship between the intervention and the desired outcome of care.

Page Ref: 37

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 6. Recognize the basis and use of QSEN standards to support and improve quality nursing care.

15) The nurse focuses on effective communication when caring for an older client. Which method does the nurse use?

1. Speak continuously so the client can stay focused on the conversation.
2. Ask for clarification, rephrase, and summarize throughout the interaction.
3. Keep the speaking voice loud and make statements slowly and clearly.
4. Change the subject if the client seems disturbed by the discussion topic.

Answer: 2

Explanation: 1. Silent pauses are beneficial in that they give the client time to think and provide more information.

2. The nurse should avoid misunderstandings by saying, "I'm not sure what you mean," which helps to clarify content.
3. Yelling or speaking loudly to older clients should be avoided because yelling could be disturbing if a hearing aid is being used. Slowing down speech rate is not necessary for the client with adequate hearing and cognition.
4. Changing the subject is a barrier that could disrupt the communication process.

Page Ref: 43-44

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Therapeutic Communication

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 8. Summarize effective communication techniques appropriate for use with the older adult.

16) An older client is being discharged to live with adult children who need to work during the day. What referral information would be beneficial for the client and family members?

1. Transitional care unit
2. Retirement community
3. Skilled nursing facility
4. Community nursing care

Answer: 4

Explanation: 1. Transitional care is within an acute care hospital and provides subacute, rehabilitation, and palliative care services. This would not be appropriate for the client who is being discharged to a home environment.

2. A retirement community ranges in size and scope of services. The client would need to live there permanently and not live with family. This would not be appropriate for the client who is being discharged to live with adult children.
3. A skilled nursing facility is a place where clients are admitted for subacute or chronic care. This would not be appropriate for the client who is being discharged to a home environment.
4. Community nursing care, such as visiting nurses, is an option for many older clients requiring skilled care in the home. Visits can be made by nurses, home health aides, or homemakers.

Page Ref: 40

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 3. Identify components of the long-term care system.

17) The administrator at a skilled nursing facility is concerned about the rates of aspiration pneumonia. Which long-term facility factors are most likely to lead to increased rates of aspiration pneumonia? Select all that apply.

1. Prolonged nurse position vacancies
2. Reduced staffing levels for second shift
3. Bonus pay offered for working extra shifts
4. High client turnover in the morning
5. Shortage of beverage thickener

Answer: 1, 2, 3, 4

Explanation: 1. Inadequate nurse staffing could lead to pneumonia because of aspiration during mealtimes. Staff is rushed and may feed too quickly; clients may try to feed themselves when they should not.

2. Inadequate nurse staffing could lead to pneumonia because of aspiration during mealtimes. Staff is rushed and may feed too quickly; clients may try to feed themselves when they should not. Dinner time and evening snacks are important to the client's nutritional status.

3. Overworked staff may not provide the care required during mealtimes due to their own fatigue. Bonus pay for extra shifts can temporarily help staffing issues, but it is not a permanent solution.

4. When staff are rushed to admit, transfer, or discharge clients, feeding clients can become rushed, leading to aspiration pneumonia.

5. Foods and liquids can be safely administered to clients at risk of aspiration pneumonia without a thickening agent.

Page Ref: 31

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Safety and Infection Control

Nurs/Integ Conc.: Nursing Process: Evaluation

Learning Outcome: 3. Identify components of the long-term care system.

18) The family of an older client asks the nurse if the client qualifies for Medicaid to help with hospital bills. What information should the nurse provide to the family?

1. Eligibility for Medicaid is based upon annual income level.
2. Medicaid is available to individuals once they have the ability to retire.
3. Medicaid is intended to assist low-income individuals over the age of 65.
4. Eligibility for Medicaid begins when entering a long-term care facility.

Answer: 1

Explanation: 1. Medicaid is for low-income individuals. To qualify for Medicaid, the older person must "spend down" their assets to cover the costs of long-term care.

2. Medicare is a federal program available to older people and those with disabilities and certain chronic diseases.

3. Medicaid eligibility is based upon income level and not age. Medicare and Medicaid are different social programs.

4. Eligibility for Medicaid is based upon income. Those entering a long-term care facility do not become Medicaid eligible, regardless of age.

Page Ref: 41

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Support Systems

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 3. Identify components of the long-term care system.

19) The nurse caring for older clients wants to return to school to become a gerontological nursing specialist. Which criteria would the nurse need to achieve in order to fulfill this career goal? Select all that apply.

1. Been a practicing nurse for at least 2 years, with 2,000 unsupervised clinical practice hours.
2. Complete at least 500 supervised hours of providing care to older clients.
3. Have a gerontological nurse manager recommend the nurse for the credential.
4. Complete a course in advanced pathophysiology and pharmacology.
5. Receive their doctor of nursing practice degree.

Answer: 2, 4

Explanation: 1. To be considered as a gerontological nursing specialist, the nurse would need 500 supervised hours.

2. To be considered as a gerontological nursing specialist, the nurse would need to complete at least 500 supervised hours of providing care to older clients.

3. To be considered as a gerontological nursing specialist, the nurse would not need to have a gerontological nurse manager recommendation.

4. To be considered as a gerontological nursing specialist, the nurse would need to complete a course in advanced pathophysiology and pharmacology.

5. To be considered as a gerontological nursing specialist, the nurse does not need a doctorate degree.

Page Ref: 29

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Planning

Learning Outcome: 2. List appropriate educational preparation and certification requirements of the gerontological nurse generalist and specialist.

20) At times, the gerontological nurse functions in the role of consultant when working with older clients. Which activities does the nurse perform while functioning in this role? Select all that apply.

1. Develops clinical pathways
2. Implements evidence-based practices
3. Develops quality assurance standards
4. Provides information about regulations
5. Provides instruction about healthy aging

Answer: 1, 2, 3

Explanation: 1. As a consultant, the gerontological nurse will participate in the development of clinical pathways.

2. As a consultant, the gerontological nurse will participate in the implementation of evidence-based practices.

3. As a consultant, the gerontological nurse will participate in the development of quality assurance standards.

4. As a manager, the gerontological nurse will provide information about regulations.

5. As an educator, the gerontological nurse will provide instruction about healthy aging.

Page Ref: 32

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 4. Describe the ANA standards and scope of practice for gerontological nursing.

21) A gerontological nurse is planning an educational program to discuss the current and anticipated nursing staffing needs of the future. What should be included in the presentation? Select all that apply.

1. More nurses will be needed to work in assisted living care settings.
2. The number of nursing homes has begun to increase over the last 10 years.
3. The number of nurses employed in hospital settings has increased since 1980.
4. Adding nurses has no impact on the long-term health of nursing home residents.
5. More complex nursing skills are needed to provide care in long-term care and rehabilitative care facilities.

Answer: 1, 5

Explanation: 1. There is an increase in assistive care settings in the United States. More nurses will be needed to work in this care setting.

2. The current nursing home occupancy rate is 86%, and the number of beds and nursing home residents began to decline in 1999.

3. Hospitals remain the major employer of nurses, although the number of nurses employed in other sectors has increased.

4. Adding nurses to provide care will reduce the mortality rate and improve the nutritional status of clients in long-term care facilities.

5. Clients in long-term care and rehabilitation care facilities are more ill because hospital lengths of stays have decreased. The clients are being admitted to long-term care facilities with more health problems.

Page Ref: 31

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 3. Identify components of the long-term care system.

22) The nurse is planning care for an older client with chronic comorbid conditions. The nurse determines that insufficient health maintenance is the priority nursing diagnosis for this client due to non-adherence to the medication regimen. What are the most important nursing interventions for this client? Select all that apply.

1. Ensure the client has written and verbal medication administration instructions.
2. Ask the client to identify ways in which the medication regimen can best fit the current lifestyle.
3. Have the client teach back any medication skills and knowledge after the learning session.
4. Browsing web resources with the nurse about how to use medications correctly.
5. Emphasize the importance of keeping medications organized with a pill planner.

Answer: 1, 2, 3

Explanation: 1. After formulating nursing diagnoses, nursing interventions will be selected based upon the desired outcome. The nurse must make sure the client understands how to use the medications and that non-adherence is not due to lack of understanding.

2. After formulating nursing diagnoses, nursing interventions will be selected based upon acceptance of the intervention to the client. The nurse addresses issues such as what time medications are taken in relation to any side effects, interference with rest or work, and other common issues that, if addressed, increase compliance.

3. After formulating nursing diagnoses, nursing interventions will be selected based upon assurance that the intervention is appropriate and that the client has the understanding and ability to continue the plan.

4. The nurse can direct the client to reputable websites about conditions and medications, but the nurse should be offering and reviewing institution approved and provided client-teaching materials.

5. The client should do whatever will work for them, and the nurse works with the client to determine what method is best for them to keep up with their medications. Pill planners are not the best solution for everyone.

Page Ref: 36

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Planning

Learning Outcome: 5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

23) The nurse is planning care for a client admitted for surgery with the primary nursing diagnosis being knowledge deficit related to pre- and postoperative care. Which goal statement is the most appropriate for this diagnosis?

1. The client will be knowledgeable about the surgery being performed.
2. The client will be given the postoperative plan of care prior to surgery.
3. The client will be afebrile during the intraoperative and postoperative period.
4. The client will verbalize the purpose of preoperative medications prior to surgery.

Answer: 4

Explanation: 1. The statement "The client will be knowledgeable" is not measurable. The client must be able to verbalize the surgery during the consent process.

2. "The client will be given the postoperative plan of care prior to surgery" is a nursing goal, not a client-centered goal, and "plan of care" is not specific. Before surgery, the client must be able to demonstrate use of an incentive spirometer and know how to use a patient-controlled analgesia pump, if applicable.

3. The statement "The client will be afebrile during the postoperative period" does not address the problem of knowledge deficit.

4. The statement "The client will verbalize the purpose of preoperative medications prior to surgery" is specific to the nursing diagnosis, client focused, and measurable.

Page Ref: 35-36

Cognitive Level: Analyzing

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Planning

Learning Outcome: 5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

24) An older client who is still physically active complains of progressive inability to maintain the home. The client wants to research other living options and has significant financial resources. What should the nurse recommend to help meet the client's living needs?

1. Adult day care
2. Retirement community
3. Skilled-nursing facility
4. Residential care facility

Answer: 2

Explanation: 1. Adult day care is an option for people with multiple comorbidities or people who need daytime supervision and activities. This type of setting would not be appropriate for the client.

2. A retirement community is a senior citizen community that ranges in size, scope of services, types of apartments, and different levels of activities. This is the type of facility in which the client would most benefit.

3. A skilled-nursing facility is a place where skilled care is provided to residents by nurses. The care might be subacute or chronic. This setting would not be appropriate for the client.

4. A residential care facility is like a rest home, usually in a large private home that has been converted to provide rooms for residents who can provide most of their own personal care but might need help with laundry, meals, and housekeeping. This type of setting would not be appropriate for the client.

Page Ref: 40

Cognitive Level: Applying

Client Need: Psychosocial Integrity

Client Need Sub: Support Systems

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 3. Identify components of the long-term care system.

25) An older client expresses a desire to stop all care. Which techniques will the nurse use to discuss end-of-life issues with this client? Select all that apply.

1. Sit down in a chair at the client's bedside.
2. Turn off the television in the room.
3. Pause for clarification if client's facial expression changes.
4. Begin by addressing the client by their first name.
5. Inform the client that hospice services can be arranged.

Answer: 1, 2, 3, 5

Explanation: 1. Communication is always best done at eye level.

2. Best practice is to minimize background noise and distractions. Be sure to ask permission first.
3. It is important to be alert to signs that the client is confused or needs a minute to formulate a thought.
4. Ask the client how they would like to be addressed. Using general terms like "sir" or "ma'am" may feel too impersonal, but using the client's first name may be too informal. Ask permission to use the first name.
5. The nurse does not yet know why the client has this wish and has not assessed their needs. Assessment through good communication must occur prior to suggesting a route.

Page Ref: 41

Cognitive Level: Applying

Client Need: Safe Effective Care Environment

Client Need Sub: Management of Care

Nurs/Integ Conc.: Nursing Process: Implementation

Learning Outcome: 8. Summarize effective communication techniques appropriate for use with the older adult.

Tabloski Chapter 2:

Contemporary Gerontological Nursing

Concepts for Lecture

LEARNING OUTCOMES

1. Describe national certification criteria, practice standards, and scope of practice for gerontological nursing.
2. Explain contemporary workforce issues related to quality of care and QSEN standards.
3. Discuss the nurse's role in caring for older adults.
4. Apply functional health patterns to the formulation of a nursing diagnosis.
5. Utilize ethical principles to formulate a nursing care plan.
6. Summarize effective communication techniques appropriate for use with the older adult.

1. Discuss the nurse's role in caring for older adults.

2. List appropriate educational preparation and certification requirements of the gerontological nurse generalist and specialist.

3. Identify components of the long-term care system.

4. Describe the ANA standards and scope of practice for gerontological nursing.

5. Apply the use of functional health patterns in the formulation of a nursing diagnosis.

6. Recognize the basis and use of QSEN standards to support and improve quality nursing care.

7. Relate the uses and need for gerontological nursing research as support for evidence-based practice.

8. Summarize effective communication techniques appropriate for use with the older adult.

1-INTRODUCTION

Working with older people is one of the most rewarding and challenging opportunities in the nurse's professional career.

Style Definition: Normal: Line spacing: single

Style Definition: H1: Underline, All caps, Space Before: 0 pt, After: 10 pt, Line spacing: Double, Tab stops: 0.45", Left + Not at: 0.17"

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal, Centered

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, No underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Bold, No underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: Bold, Underline

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: Bold, Underline

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: Bold, Underline

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, No underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: Bold, Complex Script Font: Bold

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Many nurses enjoy working with older people because they have had or have a special relationship with a positive role model of aging, such as a grandparent or an older adult as special friend or mentor.

In the 1920s, a few visionary nurses began to identify the need for specialization in caring for older people.

Nurses began to consider gerontological nursing a specialty.

H. SCOPE OF PRACTICE, STANDARDS, AND CERTIFICATION

LO 2.1 Describe national certification criteria, practice standards, and scope of practice for gerontological nursing.

Key Findings

The American Nurses Association (ANA) is responsible for defining the scope of practice and standards of nursing practice.

The range of nursing functions is differentiated according to the level of practice, the role of the nurse, and the work setting.

The three elements of the scope of practice consist of quality, evidence, and safety.

Standards for Quality Nursing Care for Aging Persons

The primary goal of gerontological nursing is defined as the provision of high-quality care to older adults.

Gerontological nurses additionally employ a shared body of skills and knowledge to address the full range of needs related to aging. The standards are defined as statements enunciated by the profession by which the quality of practice, service, or education can be judged.

Refer to Figure 2-1.

The ANA publishes A Statement on the Scope of Gerontological Nursing Practice, which defines the nature and scope of current gerontological nursing practice.

Standards apply in all clinical practice settings.

Gerontological Specialty Certification

Certification is defined as the formal process by which clinical competence is validated in a specialty area of practice.

Nurses can become certified as gerontological nurses or as advanced practice registered nurses (APRNs).

Formatted: Default Paragraph Font, Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt, Do not check spelling or grammar

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 10 pt, Do not check spelling or

Formatted: Underline

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 10 pt, Do not check spelling or

Formatted: Underline

Formatted: Font: 12 pt, Font color: Auto, Do not check spelling or grammar, All caps

Formatted: Font: Bold

Formatted: Normal

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: Bold

Formatted: Normal

Formatted: Font: Bold

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Refer to Table 2-1.

Practice Doctorate in Nursing

Formatted: Font: Bold

In 2004, the AACN endorsed the Position Statement on the Practice Doctorate in Nursing (DNP), voting to move the level of preparation necessary for advanced nursing practice from the master's degree to the doctorate level (DNP) by 2025.

The DNP is designed for those in direct clinical practice who can apply the principles of evidence-based practice and assume leadership positions. It does not replace the PhD.

Suggestions for Classroom Activities

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Underline

- Invite the director of nursing from a local long-term-care facility to visit with the class. Ask the nurse-administrator to discuss the various roles for the gerontological nurse within the facility.

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Suggestions for Clinical Activities

Formatted: Underline

- Assign students to shadow case managers or educators who actively work with the gerontological population. If there are not enough mentors or enough time to assign all students to a mentor, assign a small number and then allow them to come back and report their observations to the group.

Formatted: Normal, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: H1

II The responsibilities of the gerontological nurse include direct care, management and development of the professional and other nursing personnel, and evaluation of care and services for the older adult.

Formatted: Underline

COMPETENCIES AND STANDARDS OF PRACTICE FOR GERONTOLOGICAL NURSING

Formatted: Underline

LO 2.2 Explain contemporary workforce issues related to quality of care and QSEN standards.

Formatted: Font: Bold

Key Findings

III. Standards and Practice of Gerontological Nursing

Formatted: Font: 12 pt, No underline, Font color: Auto, Complex Script Font: 11 pt

The Standards of Clinical Gerontological Nursing Care describe the necessary competencies of care for each step of the nursing process.

Formatted: Normal

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Understanding the issues related to nursing education and preparation of the nursing workforce is key to ensuring adequate numbers of nurses in the years to come.

Workforce and Quality of Care

Formatted: Font: Bold

Large numbers of nursing faculty members will be retiring.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt

Faculty shortages limit the number of students that can be admitted to nursing programs.

The recent slowdown in economic growth has resulted in many nurses delaying retirement or moving from part-time to full-time positions.

New job advertisements were up 46% from ~~last year~~2010, indicating nurses continue to be sought after.

The U.S. nursing shortage is projected to grow to 260,000 registered nurses by 2025.

Long-Term Care:

Formatted: Font: 12 pt, Bold, Font color: Auto, Complex Script
Script Font: 11 pt

Many long-term care facility residents are short-stay rehabilitation patients who receive skilled nursing services and then are discharged to home.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt

The average nursing-home resident is an older woman, age 83.2 years, with at least one disability that necessitates the need for placement in a long-term care facility.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt

Nursing experts recommend that safe staffing standards mandated for long-term care facility residents include:

- Presence of an RN at all times
- Director of Nursing holds a baccalaureate degree or is certified in geriatric nursing
- Direct nursing care should be at least 4.1 hours/resident day
- Skilled nursing facility residents may require more than 4.1 hours/resident day
- Administrative nursing positions should not be counted toward hours/resident day

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" +
Indent at: 0.5"

Four trends in long-term care are affecting hiring needs and institutional planning:

- Increasing numbers of high-acuity residents.
- Increasing popularity of aging-in-place residences in the community enhances the need for a coordinated continuum of care.
- Increased focus on person-centered care.
- Long-term care is increasingly reliant on technology.

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" +
Indent at: 0.5"

~~The number of patients requiring ongoing custodial care for chronic illnesses such as Alzheimer's disease has remained relatively stable.~~

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt

~~Staffing standards mandate that long-term care facility residents receive at least 4.13 hours of direct nursing care each day.~~

Formatted: Normal

~~Lower nurse staffing levels are associated with higher rates of urinary catheter use, increased pressure ulcer rates, and lower resident participation in activities.~~

~~Higher RN staffing levels were found to reduce the likelihood of death.~~

The Role of the Gerontological Nurse:

The role of the gerontological nurse includes ~~the following clinical practitioner, patient advocate, nurse educator, nurse manager, nurse consultant, and nurse researcher.~~

~~To focus on the physical health and function of their patients.~~

~~To address issues of access to healthcare services, quality and affordability of health care, and coordination of services by the interdisciplinary team.~~

~~To be a patient advocate, nurse educator, nurse manager, nurse consultant, and nurse researcher.~~

The primary goal of the gerontological nurse is to help patients achieve their optimal level of physical, mental, and psychosocial well-being.

Quality and Safety Education for Nurses (QSEN):

The QSEN project's goal is to prepare future nurses with the knowledge, skills, and attitudes (KSAs) necessary to continuously improve the quality and safety of the healthcare system.

Care should be based upon current research evidence.

Improvement of patient safety is a prime area of concern.

Suggestions for Classroom Activities

- Invite a guest speaker to the class who has successfully completed the gerontological certification process. Ask the speaker to review preparation for the process.

Suggestions for Clinical Activities

- Instruct the students to assess the educational preparation and certifications of the nurses on the care unit. Discuss the findings during the next postconference period.

~~The nursing profession must meet the challenge of preparing future nurses who will have the knowledge, skills, and attitudes necessary to continuously improve the quality and safety of the healthcare systems within which they work.~~

IV THE FUTURE OF NURSING

~~The nursing profession should double the number of nurses with doctorates by 2020.~~

Nurses must engage in lifelong learning, and lead change to advance health.

Formatted: Font: 12 pt, Bold, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Bold, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: Bold

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: No underline

Formatted: Normal, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Normal

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

V Functional Health Patterns Assessment and Nursing Diagnosis

Functional health patterns is an interrelated group of behavioral areas that provides a view of the whole person and his or her relationship with the environment.

There are 11 functional areas to guide the nurse to seek information about the older patient and form a crucial foundation to the care planning process and diagnosis of the patient's nursing needs.

Nursing Diagnosis:

The nursing diagnosis provides the basis for the selection of interventions for which the nurse is accountable.

Problems may be identified as actual or potential threats to health, allowing the nurse to intervene.

The ability to formulate an accurate nursing diagnosis will depend on the nurse's adherence to a systematic approach, and the nurse's knowledge and experience.

Care Planning and Realistic Goals

Realistic goals of care planning should:

- be linked to the nursing diagnoses.
- be mutually formulated with the older adult, family, and interdisciplinary team whenever possible.
- be culturally appropriate.
- be attainable in relationship to available resources and the care setting.
- include a time frame for attainment.
- adequately reflect associated benefits and costs.
- provide direction for continuity of care.
- be realistic, achievable, and measurable.

Implementation of the Nursing Care Plan:

The gerontological nurse will choose appropriate interventions.

Nursing interventions will be selected based on the following:

1. Linkage to the desired outcome.
2. Characteristics of the nursing diagnosis.
3. Strength of the research associated with the intervention.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt

Formatted: Font: 12 pt, Underline, Font color: Auto,
Complex Script Font: 11 pt

Formatted: Normal, No bullets or numbering

Formatted: Normal

Formatted: Normal, No bullets or numbering

4. Probability of successfully implementing the intervention.
5. Acceptability of the intervention to the older person and others involved in the plan of care.
6. Assurance that the intervention is safe, ethical, culturally competent, and appropriate.
7. Knowledge, skills, experience, and creativity of the nurse.

Evaluation:

- The final component of the nursing process.
- Considers information from the physical, social, and psychological assessment of the patient.
- Includes documentation of the costs and benefits of the treatment.

VI-III- ROLE BY SETTING

LO 2.3 Discuss the nurse's role in caring for older adults.

Key Findings

The term long-term healthcare delivery system is now used to designate several types of non-acute care settings

- Skilled-nursing facilities. Residents receive skilled care from nurses and others.
- Retirement communities. Senior-citizen retirement communities range in size and scope of services.
- Adult day care for older adults with multiple comorbidities or people who require daytime supervision and activities.
- Residential-care facilities. Previously called rest homes.
- Transitional-care units provide subacute care, rehabilitation, and palliative-care health services to patients who no longer require acute care.
- Rehabilitation hospitals or facilities provide subacute care to patients with complex health needs.
- Community nursing care. Visiting-nurse services are an option for many older patients requiring skilled care in the home.

Suggestions for Classroom Activities

Formatted: Normal

Formatted: Normal, No bullets or numbering

Formatted: Underline

Formatted: Font: 12 pt, Font color: Auto, Do not check spelling or grammar, Not All caps

Formatted: Normal

Formatted: Font: Bold

Formatted: Normal

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: No bullets or numbering

- Develop a list of patients with specific characteristics and needs. Instruct the students to match the patient with the type of appropriate care service.
- Develop a list of patients with specific characteristics and needs. Instruct the students to match the patient with the type of appropriate care service.

Suggestions for Clinical Activities

- Invite a guest speaker to the class from an assisted living facility to discuss the services offered with the class.

In the United States, there are several types of non-acute care settings in which gerontological nurses have the opportunity to practice:

1. Skilled nursing facilities
2. Retirement communities
3. Adult day care
4. Residential care facilities
5. Transitional care units
6. Rehabilitation hospitals or facilities
7. Community nursing care

IV

VII Trends in Financing Health Care for Older Persons

Medicaid is the largest funding source for long-term care.

Federal spending for Medicare, Medicaid, and Social Security is expected to surge, nearly doubling by 2035.

Advances in medical technology and prescription drugs will likely keep pushing up the costs of health care.

Nurses should assume a leadership position in all debates and discussions regarding healthcare reform and financing relating to older people.

One of the factors contributing to lack of preparation for long-term care is a widespread misunderstanding about what services Medicare will cover.

FUNCTIONAL HEALTH PATTERN ASSESSMENT AND NURSING DIAGNOSIS

LO 2.4 Apply functional health patterns to the formulation of a nursing diagnosis.

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: No bullets or numbering

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: No underline

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Underline

Formatted: Normal

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt, Do not check spelling or grammar

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt, Do not check spelling or grammar

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt, Do not check spelling or grammar

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt, Do not check spelling or grammar

Formatted: Underline

Formatted: Font: Bold

Formatted: Normal

Key Findings

A systematic nursing assessment, called functional health patterns, is necessary to provide holistic care to the older person.

This nursing assessment is defined as an interrelated group of behavioral areas that provides a view of the whole person and his or her relationship with the environment.

Refer to Table 2-2.

Formatted: Normal

Nursing Diagnosis

Formatted: Font: Bold

Health problems or dysfunctional patterns may be identified as actual or potential threats to health, allowing the nurse an opportunity to intervene.

The ability to formulate an accurate nursing diagnosis will depend on the nurse's adherence to a systematic approach, the application of relevant clinical skills, the nurse's experience, and the nurse's knowledge of the norms and presentation of disease in the older person.

Formatted: Normal

Care Planning and Setting Realistic Goals

Formatted: Font: Bold

After completing an assessment and reaching appropriate nursing diagnoses, the nurse formulates a plan of care.

Gerontological nurses often focus on improving the patient's quality of life and functional status, and promoting of well-being.

High priority problems include those that immediately impact negatively on health status, are of concern to the older person and the family, and that negatively affect function and quality of life.

The gerontological nurse must set realistic and achievable goals.

Formatted: Normal

Implementation of the Nursing Care Plan

Formatted: Font: Bold

Interventions are selected on the basis of the needs, desires, and resources of the older adult and accepted nursing practice.

The Nursing Outcomes Classification (NOC) is a comprehensive, standardized classification of patient/client outcomes developed to evaluate the effects of nursing interventions.

The Nursing Interventions Classification (NIC) provides examples of nursing interventions based on theoretical or clinical perspectives.

The gold standard for nursing interventions are those that have been tested in a randomized controlled clinical trial (evidence-based practice).

Refer to Table 2-3

Formatted: Normal

Evaluation

Formatted: Font: Bold

The gerontological nurse systematically gathers and records actual patient outcomes and compares these outcomes to the patient outcomes set as goals in the nursing care plan.

By gathering outcome data on large numbers of older patients, nurse managers and clinicians can identify opportunities for improvement.

Formatted: Normal

Research Agenda

Formatted: Font: Bold

Per ANA Standard VII, gerontological nurses interpret, apply, and evaluate research findings to inform and improve gerontological nursing practice.

The gerontological nurse participates by identifying clinical problems appropriate for study, gathering data, and interpreting findings to improve the nursing care provided to older adults.

Formatted: Normal

V TRENDS IN FINANCING HEALTH CARE FOR OLDER PERSONS

Formatted: Underline

Approximately 66% of expenditures for long-term care services are paid by public programs, primarily by Medicaid and Medicare, and about 22.4% is paid by patients and their families.

Refer to Figure 2-1

Medicaid, the joint federal and state program for low-income individuals, is the largest funding source for long-term care.

Medicare is intended to cover acute and post-acute medical care for people 65 and older and for younger people who qualify for Social Security because of disability.

Formatted: Normal

Demographic Changes

Formatted: Font: Bold

Federal spending for Medicare, Medicaid, and Social Security are expected to surge, nearly doubling by 2035, as people live longer and spend more time in retirement.

More gerontological nurse clinicians, researchers, and educators are needed to prepare the quantity and quality of nurses needed to meet the needs of the older person.

Nurses should assume a leadership position in all debates and discussions regarding healthcare reform and financing relating to older people.

Formatted: Normal

Suggestions for Classroom Activities

Formatted: Indent: Before: 0"

- Review the ANA website. Using the site's search prompts, review the documentation available regarding gerontological nursing.
- Discuss and provide examples of patient goals.

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Suggestions for Clinical Activities

Formatted: Indent: Before: 0"

- Instruct students to perform a functional assessment on one patient in the clinical environment. Compare the results.

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" +
Indent at: 0.5"

Formatted: Normal

VI. H-ETHICSLO 2.5 Utilize ethical principles to formulate a nursing care plan.Key Findings

Gerontological nurses are required to provide nursing services and health care that are responsive to the public's trust and the older person's rights.

This ethical practice is guided by the Code for Nurses with Interpretive Statements.

Ethical Issues issues include";

- Providing care with compassion and respect
- Maintaining primary commitment to the patient (individual, family, group, or population)
- Promoting, advocating, protecting the rights, health, and safety of the patient
- Maintaining authority, accountability, and responsibility for nursing practice
- Maintaining and promoting personal health and safety, promoting wholeness of character and integrity, maintaining competence and continued personal and professional growth
- Establishing, maintaining, and improving the ethical environment of the work setting and condition of employment conducive to safe, quality health care
- Advancing the profession through research and scholarly inquiry, professional standards development, and the generation of both nursing and health policy
- Collaborating with other health professionals and the public to protect human rights, promote health diplomacy, and reduce health disparities
- Articulating nursing values, maintaining integrity of the profession, and integrating principles of social justice into nursing and health policy through professional organizations
- Obtaining informed consent for research and clinical treatment.
- Obtaining, clarifying, and carrying out advance directives.
- Appropriateness of emergency treatment.
- Provision of palliative care, including pain and symptom control, need for self-determination, quality of life, and treatment termination.
- Elimination of the use of chemical and physical restraints.
- Patient confidentiality, including electronic records.
- Surrogate decision making.

Formatted: Font: 12 pt, Underline, Font color: Auto, Do not check spelling or grammar

Formatted: Underline

Formatted: Underline

Formatted: Font: Bold

Formatted: Font: 12 pt, No underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, No underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal, No bullets or numbering

- ~~Access to complementary treatments.~~
- ~~Fair distribution of resources.~~
- ~~Economic decision making.~~

Refer to Box 2-3.

Ethical decision-making competency involves knowledge and skills, application, and ethical environment.

- Cultural norms and practice are critical parts of any assessment of patients and families.
- Important aspects of ethical decision making:
 - 1. Assessment
 - 2. Relevant contextual factors
 - 3. Capability of the patient to make decisions
 - 4. Patient preferences
 - 5. Needs of the patient as a person
 - 6. Preferences of the family
 - 7. Competing interests
 - 8. Issues of power or conflict
 - 9. Opportunity for all involved to speak and be heard

Suggestions for Classroom Activities

- Have students discuss potential barriers to research utilization and methods to improve research utilization in nursing.

Suggestions for Clinical Activities

- During the postconference period, ask students for problems noted on the unit related to gerontological nursing care that would benefit from research.

~~IX~~ VII COMMUNICATION

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt, Not Raised by / Lowered by

Formatted: Normal, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Default Paragraph Font, Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted ...

Formatted ...

Formatted ...

Formatted ...

Formatted: Indent: Before: 0.06", No bullets or numbering

Formatted ...

Formatted: No underline

Formatted: Indent: Before: 0.06", No bullets or numbering

Formatted ...

Formatted: H1

Formatted ...

Formatted ...

LO 2.6 Summarize effective communication techniques appropriate for use with the older adult.**Formatted:** Font: Bold**Key Findings**

Communication is an ongoing, continuous, dynamic process that includes verbal and nonverbal signals.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt**Formatted:** Normal

Nonverbal communication is thought to comprise 80% of the communication process and includes body language such as position, eye contact, touch, tone of voice, and facial expression.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt, Not All caps

Open-ended statements will encourage the patient to talk.

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt

Nurses should not be afraid to acknowledge their feelings.

Encouraging reminiscing is usually fruitful when communicating with older patients.

Refer to Box 2-4.

Suggestions for Classroom Activities

- Have students role-play therapeutic communication.

Formatted: No underline**Suggestions for Clinical Activities****Formatted:** Bulleted + Level: 1 + Aligned at: 0.31" +
Indent at: 0.56"

- Have students record their communication interactions with a patient and then perform a self-evaluation of their therapeutic communication effectiveness.

Formatted: Bulleted + Level: 1 + Aligned at: 0.31" +
Indent at: 0.56"

- Have students identify problems they experienced with communicating with elders in the clinical setting. Discuss methods to enhance and improve the identified problems.

Formatted: Normal, Bulleted + Level: 1 + Aligned at: 0.31" +
Indent at: 0.56"

X

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt**Formatted:** Underline**PATIENT AND FAMILY TEACHING****Formatted:** Normal**Formatted:** Underline

Gerontological nNurses need skills and knowledge related to teaching patients and families about the key concepts of gerontology and gerontological nursing.

Formatted: Font: 12 pt, Font color: Auto, Do not check
spelling or grammar, Not All caps

Nurses assume the role of teacher and coach.

Refer to Box: Patient-Family Teaching Guidelines

Formatted: Font: 12 pt, Font color: Auto, Complex Script
Font: 11 pt**Discussion Question: Ethical Dilemma~~Suggestions and Strategies for Classroom Activities:~~****Formatted:** Font: Bold

*Invite the director of nursing from a local long-term care facility to visit with the class. Ask the nurse to discuss the various roles for the gerontological nurse within his or her facility.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

*Invite a guest speaker to the class who has successfully completed the gerontological certification process. Ask the speaker to review the preparation for the process.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Develop a listing of patients with specific characteristics and needs. Instruct the students to match the patient with the type of appropriate care service.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Review the ANA website. Using the site's search prompts, review the documentation available regarding gerontological nursing.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Discuss and provide examples of patient goals.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Have students discuss potential barriers to research utilization and methods to improve research utilization in nursing.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Have students role-play therapeutic communication.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

Suggestions and Strategies for Clinical Activities:

*Assign students to shadow case managers or educators who actively work with the gerontological population. If there is an inadequate number of mentors or a lack of time to assign all students to a mentor, assign a small number and then allow them to come back and report their observations to the group.

Formatted: Font: 12 pt, Bold, Font color: Auto, Complex Script Font: 11 pt

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal, Bulleted + Level: 1 + Aligned at: 0.25" + Indent at: 0.5"

*Instruct the students to assess the educational preparation and certifications of the nurses on the care unit. Discuss the findings during the next postconference period.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Invite a guest speaker to the class from an assisted living facility. Request that the speaker discuss the services offered with the class.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Instruct students to perform a functional assessment on one patient in the clinical environment. Compare the results.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*During the postconference period, ask students for problems noted on the unit related to gerontological nursing care that would benefit from research.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

*Have students record their communication interactions with a patient and then perform a self-evaluation of their therapeutic communication effectiveness.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

Have students identify problems they experienced with communicating with elders in the clinical setting. Discuss methods to enhance and improve the identified problems.

Formatted: Font: 12 pt, Bold, Underline, Font color: Auto, Complex Script Font: 11 pt

Formatted: Normal

▲

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt, Not All caps

▲

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

▲

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt, Not All caps

▲

Formatted: Font: 12 pt, Not Italic, Underline, Font color: Auto, Complex Script Font: 11 pt, Not All caps

▲

Formatted: Font: 12 pt, Underline, Font color: Auto, Complex Script Font: 11 pt

▲

Formatted: Underline

Mrs. Kepler is an 85-year-old woman recovering from hip surgery. She smiles, nods her head, and looks away whenever any of the nursing staff tries to speak to her. Some staff members think the patient suffers from dementia and lacks the ability to stay focused long enough to carry on a conversation. Another nurse on the floor state, "I never even try to talk to her anymore, because she just gives you that same silly smile in response. It's just more efficient to give her care without even trying to talk with her." What is the best course of action for the nurse to follow?

Answer:

By providing care without explanation, the principle of autonomy is being violated. Although the care is being delivered carefully and competently, the patient may feel anxiety and may not be prepared for what is about to happen to her. The patient may come to dread and fear nursing care and even become defensive or resistive to the care. It may be helpful to role-model appropriate verbal communication with the patient and the careful use of touch and nonverbal communication, consult with the patient's family if appropriate, and seek advice and consultation from others on the healthcare team.

Formatted: Font: Italic**Formatted:** Normal**Formatted:** Font: 12 pt, Italic, Font color: Auto, Complex Script Font: 11 pt