

***Operations Management Processes and Supply
Chains 12th edition Krajewski Solutions Manual***

SKU: 9780134741062-SOLUTIONS

Chapter

2 Process Strategy and Analysis

DISCUSSION QUESTIONS

1. Many processes at manufacturing facilities involve customer contact. Internal customers would include those employees whose operation(s) are subsequent. Quality Control could be considered an internal customer as could design engineering or sales. Quality Control, design engineering, marketing, sales and other organizations represent the customer at various stages of any process. Customer contact can be very high, especially between production and engineering and production and quality control.
2. Some students may see this as a difference in competitive priorities. Others may see a difference in management styles. Ritz-Carlton empowers their employees and the local restaurant does not seem to empower. Ritz-Carlton believes that by having employees treat customers and other employees with respect, customer service is enhanced. A restaurant that does not allow employees to resolve a customer issue may not see enhanced customer service. The restaurant may believe that the to-go customer will be better satisfied with fast and accurate orders. The in-store customer gets the chips and salsa to utilize the time while waiting for an order to be prepared. The to-go customer has already placed that order and it is ready when the customer arrives at the pickup window.
3. eBay has considerable arrival and request variability, because its customers do not want service at the same time or at times necessarily convenient to the company. They have request variability, seeking to buy and sell an endless number of items. Their process strategy allows significant customer involvement. Their customers perform virtually all of the selling and buying processes. McDonald's instead offers a considerable variety of foods, but from a standard menu. Staffing varies, depending on the time of day. Customization is not encouraged, and the hours during which a store is open can be controlled. Its processes have virtually no customer involvement, other than placing the order, picking up condiments or napkins, and possibly disposing of plates and containers when exiting. eBay accommodates customer-introduced variability, whereas McDonald's reduces it.
4. Student answers will vary. One idea that they may come up with is the use of electronic files. The printing industry is undergoing a shift to pdf files. Medical imaging and electronic file sharing is on the immediate horizon. The trick would be to convince physicians that want to keep their pads and pencils, that their "blackberries" are their pads and pencils.

5. Selling financial services would involve considerable customer contact, and thus be a front office. Likely activities would be to work with the customer to understand customer needs, make customized presentation to the customer, and maintain a continuing relationship with the customer to react to changing customer needs. Producing monthly client fund balance reports involves little customer contact, and thus be a back office. Likely activities would be to obtain data electronically, run the report using a standardized process, forward the hard copies and electronic files to analysts, and repeat the process monthly with little variation.
6. The process of call center services is rated in the table below. The combined score is 5.6 if each is given a weight of 0.20. Arguments could be made to give more weight to a dimension such as contact intensity, although more would need to be known about the exact process. The process's alignment on the customer-contact matrix seems to fit a front office, with more jumbled work flows and process divergence. To be properly aligned, there should be considerable resource flexibility in terms of both the employees and their equipment.

Dimension of Customer Contact		Explanation	Score
☐ Physical presence	☐	The customer is present for such steps as working to understand customer needs and answering specific questions. Other steps such as researching product information do not involve as direct contact.	1
☐ What is processed	☐	The customer is the focus of what is being processed in certain steps, such as the specific product explanation. However, researching product information lies more in the category of information-based service rather than people-processing services.	6
☐ Contact intensity	☐	The customer is actively involved and there is high service customization process	7
☐ Personal attention	☐	There is considerable personal attention and confiding in working to understand customer needs and in maintaining a continuing relationship with the customer. .	7
☐ Method of delivery	☐	Much of the delivery is through phone-to-phone contact .	7

7. The answer can be debated. On one hand, relentless pressure to improve can create considerable benefits over time, and could well put a company at the top of the industry. On the other hand, small improvements do not lead to break-through solutions that might be what is needed to remain competitive, particularly in an industry marked by rapid change. However, radical change and process reengineering is strong medicine and not always needed or successful.
8. This question was inspired by a similar situation faced by Ontario Hydro-Electric. Today electricity is a commodity that competes on the basis of low-cost operations and reliability. If the environmental protection equipment is installed, HEC must either absorb the costs as a loss (immediate bankruptcy) or attempt to pass on the costs to customers and see further erosion of their market (eventual bankruptcy).

HEC would probably decide to delay investment in environmental protection equipment for as long as possible. Some discussion may focus on the issue of whether customers, as users of both electricity and the environment, are better served by competition (lower cost of electricity) or by regulated monopolies (better environment).

9. For background reading, see: Paul O'Neill, "Why the U.S. Healthcare System Is So Sick and What O.R. Can Do To Cure It." *OR/MS Today* (December, 2007).
 - a. Although many ideas are possible, a typical response is some kind of computer order-entry system. Although we asked for blue sky ideas, these systems do cost a medium-sized hospital about \$10 million. They also solve only half of the problems, but the remaining half can become complicated and less tractable than the ones you started with.
 - b. Same set of ideas possible here as well.
 - c. Fill carts on a daily basis, more computerized information system, and so forth.
 - d. Ideas could include more nurses, or one of several ways to remind nurses when a drug is to be administered.
 - e. Many ideas are possible, ranging from mattresses on the floor to more nurse check-ins during the night.
 - f. Better sterilization procedures, better training on patient care, research on the causes of the infections, and more thorough house cleaning are just a few ideas. Students will come up with more.

PROBLEMS

Process Strategy Decisions

1. Dr. Gulakowicz
 Fixed cost, $F = \$150,000$
 Revenue per patient, $p = \$3,000$
 Variable cost per unit, $c = \$1000$
 Break-even volume, $Q = \frac{F}{p - c} = \frac{\$150,000}{\$3,000 - \$1000} = 75$ patients
2. Two manufacturing processes
 - a. $F_1 + c_1Q = F_2 + c_2Q$
 $\$50,000 + \$700Q = \$400,000 + \$200Q$
 $(\$700 - \$200)Q = (\$400,000 - \$50,000)$
 $Q = \frac{\$350,000}{\$500} = 700$ units
 - b. Choose the second process, because 800 exceeds the break-even volume.
3. Sebago Manufacturing

The point of indifference (at which the proposals yield the same annual cost) between:

Proposal 1 and 2: $0.00 + 22x = 150,000 + 14x$

$X = 18,750$ components per year

Proposal 2 and 3: $150,000 + 14x = 450,000 + 12.50x$

$X = 200,000$ components per year


Proposal 1 and 3: $0.00 + 22x = 450,000 + 12.50x$

$X = 47,368.4$ components per year

Proposal 1 will provide the lowest annual cost if between 0 and 18,750 components are required annually, proposal 2 will provide the lowest annual cost if between 18,750 and 200,000 components are required annually, and Proposal 3 will provide the lowest annual cost if greater than 200,000 components are required annually.

Defining, Measuring and Analyzing the Process

4. Custom Molds




5. Process chart for Custom Molds with metrics

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Process Chart for Custom Molds													
2														
3	Step	Cost (\$)	Time (min)	Time Delay (min)	Distance Moved (feet)	Scrap (%)	Rework (%)	Environmental waste (lbs)	Energy required (\$)	External customer contact (1-7)	Demand rate (units)	Process divergence (1-7)	Inventory (units)	Customer complaints (%)
4	Mold fabrication													
5	1. Order received													
6	2. Design review													
7	3. Specs													
8	4. Machinist													
9	5. Purchasing													
10	6. Order materials and tooling													
11	7. Mold Fabrication													
12	8. Mold Testing													
13	9. Go to Step 10 or 17 as needed													
14	10. Clean, polish and ship													
15														
16	Manufacturing parts													
17	11. Customer order received													
18	12. Specs verified with customer													
19	13. Order materials													
20	14. Dry mix													
21	15. Wet mix													
22	16. Get mold from fabrication or inventory													
23	17. Injection													
24	18. Cut and trim													
25	19. Inspection													
26	20. Back to steps 4, 18, 21, or 22 as needed													
27	21. Assembly													
28	22. Shipping													
29	TOTALS													

6. ABC Insurance Company


ABC



7. ABC Process Chart


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
1	Process Chart for ABC															
2																
3	Step	Cost (\$)	Process Time (min)	Time Delay (min)	Cumulative Elapsed Time (min)	Customer Error (%)	Associate Error (%)	Rework (%)	Environmental waste (lbs)	Energy required (\$)	External Customer Contact (1-7)	Applications per Week	Process Divergence (1-7)	Customer Satisfaction (1-7)	Number of applications in queue	Customer complaints (%)
4	1. Branch office															
5	2. Mail in															
6	3. London office receives from Steps 1 or 2															
7	4. Application separated															
8	5. Scanned															
9	6. Application to associate															
10	7. Information entered															
11	8. Go to Steps 9 or 10 as needed															
12	9. Additional information															
13	10. Confirmation sent															
14	11. Go to Step 12 or 15 as needed															
15	12. Customer updates															
16	13. Customer problem resolution															
17	14. Go to Step 10															
18	15. Application complete															
19	TOTALS															

8. DEF Flowchart




9. Big Bob's Service Blueprint

Service Blueprint for Big Bob's Burger Barn



10. Referendum 13

Flowchart for yard sign assembly:



Human resource requirements:

One of many possible arrangements is to create several cells with four workers in each cell.

Worker 1 is a materials handler, bringing printed cards and stakes (say in stacks or bundles of 25) to the gluing table and taking completed signs (again in bundles of 25) to the shipping area.

Worker 2 glues printed cards to the stakes. Worker 2 is also responsible for keeping the area supplied with glue, staples, pizza, and soft drinks.

Worker 3 is also a materials handler, transferring glued signs in small quantities (a transfer batch) to the stapling table.

While worker 3 holds the material in place, Worker 4 staples the card to the stake to hold it while the glue dries. Worker 4 also inspects the staples, drives loose ones home with a hammer, and stacks completed signs in bundles of 25 for Worker 1 to take away.

Accounting for interruptions, material shortages, and chaos, each cell will complete about eight signs per minute, or about two signs per worker-minute. 10,000 signs would require about 5,000 worker-minutes, or 83.33 worker-hours. In order to accomplish this work within three hours (maximum attention span of college students) $83.33/3 = 27.78$ or about 28 student volunteers are required to staff 7 cells.

Material requirements (for 7 cells of 4 workers each):

10,000	printed cards
10,000	stakes
32,000	staples (16 boxes of 2,000 each)
28	12-ounce bottles of wood glue
4	cases
10	pizzas

Equipment requirements:

14	tables
7	staple guns
7	hammers (to set staples)

Process chart (using *Process Chart Solver of OM Explorer*):

Process: Yard sign assembly (25)**Subject:** Volunteer**Beginning:** Material to table**Ending:** Completed signs removed

Insert Step

Append Step

Remove Step

Summary

Activity	Number of Steps	Time (min)	Distance (ft)
Operation ●	2	6.2	
Transport ➡	4	4.0	155
Inspect ■	1	1.0	
Delay ◐	1	1.0	
Store ▼	2	1.5	

Step No.	Time (min)	Distance (ft)	●	➡	■	◐	▼	Step Description
1	0.5	50		X				25 printed cards to gluing table
2	0.5	50		X				25 stakes to gluing table
3	3.2		X					Glue 25 cards to 25 stakes
4	2.5	5		X				Transfer individually to stapling
5	1.0					X		Hold in position for stapling
6	3.0		X					Insert three staples per sign
7	1.0				X			Inspect staples
8	1.0						X	Stack signs into bundles of 25
9	0.5	50		X				Carry signs to shipping area
10	0.5						X	Store signs until distributed

11. Mailing to the alumni of your college

a. A sample process chart for 2000 letters follows.

Process:	Alumni Mailing	Summary			
Subject:	Letters and envelopes				
Beginning:	Process letter	Activity	Number of Steps	Time (min)	Distance (ft)
Ending:	Place stamp on envelope	Operation ●	5	0.57	
Insert Step		Transport ➡			
Append Step		Inspect ■			
Remove Step		Delay ◐			
		Store ▼			

Step No.	Time (min)	Distance (ft)	●	➡	■	◐	▼	Step Description
1	0.20		X					Process letter
2	0.12		X					Fold letter
3	0.10		X					Stuff into correct envelope
4	0.05		X					Seal envelope
5	0.10		X					Place stamp on envelope

- b. Total time for 2000 letters = $[(0.57 \text{ min}) / 60 \text{ min per hour}] \times 2000 \text{ letters} = 19 \text{ hours}$. The cost to process 2000 letters = $(\$8/\text{hr})(19 \text{ hr}) = \152 .
- c. Changes that would reduce the time and cost of the process:
- A letterhead with “Dear Alumnus” will make step 1 (process letter) not necessary, saving 400 minutes and \$53.33 $[\$8(400/60)]$.
 - With mailing labels, step 1 involves matching the letters with labels rather than with addressed envelopes, but now we must stick the label to the envelope. We do everything we did before plus the extra step. The time would increase by 200 minutes and cost \$26.66 $[\$8(200/60)]$ more.
 - Prestamped envelopes will eliminate step 5 and save 200 minutes and \$26.67 $[\$8(200/60)]$.
 - If envelopes are to be stamped by a postage meter, it will take, 10 minutes $[2000/200]$. This results in a savings of 190 minutes and \$25.33 $[\$8(190/60)]$.
 - Window envelopes eliminate the need to match envelopes to letters, resulting in a savings of \$53.33.
- d. Using the letter with “Dear Alumnus” may reduce the effectiveness of the project because it would be less personal. This concern goes also for the use of mailing labels.

- e. Although including a preaddressed envelope will increase time and cost of the process, alumni may be more likely to contribute if they have an envelope available to them.

12. Gasoline Stations

- a. The gas station in part (b) has a more efficient flow from the perspective of the customer because traffic moves in only one direction through the system.
- b. The gas station in part (a) creates the possibility for a random direction of flow, thereby causing occasional conflicts at the gas pumps.
- c. At the gas station in part (b) a customer could pay from the car. However, this practice could be a source of congestion at peak periods.

13. Just Like Home Restaurant

- a. The summary of the process chart should appear as follows:

Activity		Number of Steps	Time (min)	Distance (ft)
Operation	●	6	1.70	
Transport	➡	6	0.80	31
Inspect	■	1	0.25	
Delay	◐	1	0.50	
Store	▼	--	--	

- b. Each cycle of making a single-scoop ice cream cone takes
 $1.70 + 0.80 + 0.25 + 0.50 = 3.25$ minutes. The total labor cost is
 $(\$10/\text{hr})[(3.25 \text{ min/cone})/60 \text{ min}](10 \text{ cones/hr})(10 \text{ hr/day})(363 \text{ day/yr})$
 $= \$19,662.50$.
- c. To make this operation more efficient, we can eliminate delay and reduce traveling by having precleaned scoops available. The improved process chart follows.

15. DMV

The process chart is as follows.

Process:	Automobile license	Summary			
Subject:	Customer				
Beginning:	Customer arrives	Activity	Number of Steps	Time (min)	Distance (ft)
Ending:	Customer leaves	Operation ●	5	9	
		Transport ➡	6	0	265
		Inspect ■	1	0	
		Delay ◐	4	351	
		Store ▼	1	0	
	Insert Step				
	Append Step				
	Remove Step				

Step No.	Time (min)	Distance (ft)	●	➡	■	◐	▼	Step Description
1			X					Take a number
2		50		X				Walk to waiting area
3	240					X		Wait for service
4					X			Number is called and checked
5		60		X				Walk to clerk
6	4		X					Calculate/pay city sales taxes
7		80		X				Walk to property tax area
8			X					Take a number
9	100					X		Wait for service
10		25		X				Walk to clerk
11	2		X					Calculate/pay property taxes
12		50		X				Walk to license area
13	10					X		Wait for service
14	3		X					Calculate/pay license fee
15	1					X		Abuse license clerk
16				X				Walk to car in parking lot
17							X	Crash with bus, return to step 1

The tax assessment clerks' time is being wasted by an inefficient waiting line process. Whenever the customer arrival rate approaches the service rate, a waiting line will form. While the clerk is waiting for phantom customers, service rate declines, and waiting lines become even longer. More disgusted customers leave the waiting area (renege).

This process can be improved by arranging the waiting area to work like the "batter's circle and batter's box" in baseball. Customers who have reneged would be replaced before the clerks' time is wasted. Service rates would increase and waiting lines would decrease.

Typical of many service situations, the customer's anger is misguided. It is directed at the last person in the process (the license clerk), who has done nothing wrong. The customer pays for this misguided anger. While taking the one minute to abuse the license clerk, a bus approaches. Blinded by rage, the taxpayer drives his new car into the path of the oncoming bus, and the car is totaled. Now the customer will have to start the process again!

Copyright © 2019 Pearson Education, Inc.

Epilogue.

It is almost sad how little exaggeration was used in creating this problem. When this location of the DMV closed, the local news announcer referred to it as “the city’s most popular place to wait in line.” This DMV process has since been replaced by an automated one-stop, one-transaction process. Just today I visited the new DMV and completed the entire process in five minutes.

16. Oil Change

- a. Each oil changing cycle takes $16.5 + 5.5 + 5.0 + 0.7 + 0.3 = 28$ minutes.
The total labor cost is
 $(\$40/\text{hr})[(28 \text{ min/service})/(60 \text{ min/hr})](2 \text{ services/hr} \times 10 \text{ hrs/day} \times 300 \text{ days/yr})$
 $= \$112,000$
- b. $(\$40/\text{hr}) \times (2.7 \text{ minutes saved per service}/60 \text{ min/hr}) (2 \text{ services/hr} \times 10 \text{ hrs/day} \times 300 \text{ days/yr}) = \$10,800$ saved per year

17. Time Study of Assembling Peanut Valves

Average Time = $[14(15)+12(20)+15(25)] / (14+12+15) = 20.12$ seconds

Normal Time = $20.12 \times 0.95 = 19.11$ seconds

Standard Time = $19.11 \times 1.20 = 22.93$ seconds

18. Time Study of Process

Element	Performance Rating	Obs 1	Obs 2	Obs 3	Obs 4	Obs 5	Average Time	Normal Time
Element 1	70	4	3	5	4	3	3.8	2.66
Element 2	110	8	10	9	11	10	9.6	10.56
Element 3	90	6	8	7	7	6	6.8	<u>6.12</u>

Total = 19.34

Standard Time = $19.34 \times 1.20 = \mathbf{23.21 \text{ minutes}}$

19. Work Sampling on Idle Time

a. Idle Time = $(17+18+14+16) / (44+56+48+60) \times 100 = 31.25$ percent.

Working Time = $100 - 31.25 = 68.75$ percent.

- b. Different root causes can be explored in an expanded work sampling study, with new categories replacing idle, such as: waiting for materials, waiting for instructions, equipment failures, breaks, or conversations with co-workers.

20. Bid on Swimming Pools


a. 2nd Pool Time = $35 \times 0.85 = 29.75$ hours

b. 4th Pool Time = $29.75 \times 0.85 = 25.29$ hours

21. Bid Using *OM Explorer*

Time for first unit	35
Unit number	5
Time for unit 5	24.02
Cumulative average time per unit	28.22

The 5th pool should take just over 24 hours, with the cumulative average time for all five pools being 28.2 hours. Total Time = $(28.2)(5) = 141$ hours. The learning curve follows.



22. Rain Tite

a. Production time on the manual line

1st window = 30 minutes


2nd window = $30 \times .90 = 27.00$ minutes4th window = $27 \times .90 = 24.30$ minutes8th window = $24.3 \times .90 = 21.87$ minutes16th window = $21.87 \times .90 = 19.68$ minutes

b. Production time on the semi-automated line

1st window = 45 minutes

2nd window = $45 \times .75 = 33.75$ minutes4th window = $33.75 \times .75 = 25.31$ minutes8th window = $25.31 \times .75 = 18.98$ minutes16th window = $18.98 \times .75 = 14.24$ minutes


As displayed in the graph below, after 4 windows produced, the employee on the semi-automated line will be able to build a window more quickly than an employee on the manual line.




23. Perrotti's Pizza Pareto chart

- a. Although the frequency of partly eaten pizza is low, it is a serious quality problem because it is deliberate rather than accidental. It is likely to cause extreme loss of goodwill. A common root cause of many of these problems could be miscommunication between the customer and the order taker, between the order taker and production and between production and distribution. This chart was created using *the Bar, Pareto, and Line Charts Solver of OM Explorer*.

Copyright © 2019 Pearson Education, Inc.




b. Cause-and-effect diagram




24. Smith, Schroeder, and Torn (short moves)

- a. The tally sheet given in the problem is essentially a horizontal bar chart. To create a Pareto diagram, the categories are arranged in order of decreasing frequency. This diagram was created using *the Bar, Pareto, and Line Charts Solver of OM Explorer*.



b. Cause-and-effect diagram




25. Golden Valley Bank

- a. Bar chart, from *the Bar, Pareto, and Line Charts Solver of OM Explorer*.

$$\text{average} = \frac{(8 \times 8) + (19 \times 11) + (28 \times 14) + (10 \times 17) + (25 \times 20) + (4 \times 23) + (10 \times 26)}{104}$$


$$= 16.2 \text{ hours}$$




- b. Golden Valley's average time is 16.2 hours or about two business days. However, 39 of 104 customers waited longer than 18 "business hours." DeNeeffe should first investigate the 14 applications that required more than 22 hours to find causes of long delays.

26. East Woods Ford


- a. Bar chart, from *the Bar, Pareto, and Line Charts Solver of OM Explorer*.



Pareto chart, from *the Bar, Pareto, and Line Charts Solver of OM Explorer*..




b. Cause-and-effect diagram drawn using PowerPoint.




27. Oregon Fiber Board

- a. Scatter diagram (see following)
- b. As the production run size increases, the percent of failures decreases. Should schedule large runs when possible and determine what causes smaller runs to be problematic, e.g., changeover issues.




28. Grindwell, Inc.

- a. Scatter diagram



- b. Correlation coefficient $\rho = -0.547$. There is a negative relationship between permeability and carbon content, although it is not too strong.
- c. Carbon content must be increased to reduce permeability index.

29. Superfast Airlines. One of many possible cause-and-effect diagrams follows.




30. Plastomer, Inc.

Type of Failure	Amount of Scrap (lb)	Percent of Total Amount
1. Air bubbles	500	0.7%
2. Bubble breaks	19,650	29.3%
3. Carbon content	150	0.2%
4. Unevenness	3,810	5.7%
5. Gauge/Thickness	27,600	41.1%
6. Opacity	450	0.7%
7. Scratches	3,840	5.7%
8. Trim	500	0.7%
9 Wrinkles	10,650	15.9%
Totals	67,150	100.0%

Copyright © 2019 Pearson Education, Inc.

The following Pareto chart was created using *the Bar, Pareto, and Line Charts Solver of OM Explorer*.



Management should attempt to improve the “thickness/gauge” problem first.

31. Shampoo bottling company

a. The tally of data into cells will be as follows.

Cell Number	Cell Boundaries	Tally	Frequency
1	12.65 up to 12.85		4
2	12.85 up to 13.05		8
3	13.05 up to 13.25		9
4	13.25 up to 13.45		9
5	13.45 up to 13.65		11
6	13.65 up to 13.85		12
7	13.85 up to 14.05		16
8	14.05 up to 14.25		11
9	14.25 up to 14.45		10
10	14.45 up to 14.65		8
11	14.65 up to 14.85		2

b. 4% of the bottles filled by the machine will be out of specification; 4% are below the lower limit, and none are above the upper limit. NOTE: If you turn the table 90 degrees counterclockwise, the tallies create a histogram.

32. Team exercise on shaving

a. One possible solution would look like this:

Process:	Shaving	Summary			
Subject:	Man				
Beginning:	Remove tools	Activity	Number of Steps	Time (min)	Distance (ft)
Ending:	Clear area	Operation ●	4	6.20	
		Transport ➡	4	0.50	20
		Inspect ■	1	0.50	
		Delay ◐	9	9.00	
		Store ▼	--	0.00	

Insert Step
Append Step
Remove Step

Step No.	Time (min)	Distance (ft)	●	➡	■	◐	▼	Step Description
1	0.10	5		X				Remove shaving bowl and soap from cabinet
2	0.10	5		X				Remove brush from cabinet
3	0.10					X		Turn warm water faucet on
4	3.00					X		Hold hand under faucet until water is warm
5	1.00					X		Create shaving lather with brush & warm water
6	1.00		X					Apply shaving lather to face
7	0.10					X		Plug sink
8	3.00					X		Turn faucet off when sink is half full
9	0.10	5		X				Remove razor from cabinet
10	0.50					X		Insert new razor blade
11	0.10		X					Draw blade across face
12	0.10					X		Rinse blade in sink
13	5.00		X					Repeat steps 11-12 until face clear of stubble
14	0.50				X			Inspect face
15	0.20					X		Thoroughly rinse razor
16	0.10		X					Dry face with towel
17	0.20	5		X				Return tools to cabinet
18	1.00					X		Unplug sink, drain completely, and clear area

Additional comments (students may have slightly different observations): After Step 2, he “walks back to sink”; Steps 3-4 and 7 & 8 are operations; The Delay step between 7 & 8 is “Wait for sink to half fill”; Between Steps 8 & 9 he “walks over to cabinet” to remove the razor (unless he gets it at Step 1 or 2) and he needs to “walk back to sink” to unplug and clean.

b. Some ideas generated from brainstorming the process:


1. Leave bowl, soap, razor, and brush on the counter.
2. Turn water on first.
3. Buy new water heater so water warms faster.
4. Use shaving cream or gel.
5. Shave in the shower.
6. Plug sink before turning water on.
7. Run water while shaving instead of plugging and filling sink.
8. Fill sink one-fourth full instead of half full.
9. Use disposable razor or electric razor.
10. Replace razor every other day.
11. Grow a mustache, beard, or goatee to reduce shaving time.
12. Go to a barber.
13. Let face air dry.
14. Use cold water.
15. Do not inspect the face but shave accurately the first time.
16. Shave every other day.
17. Don't rinse blade each time.

33. Conner Company


a. Tally sheet

Type of Failure	Tally	Number of Rejected Boards
A. Poor electrolyte coverage		12
B. Lamination problems		6
C. Low copper plating		26
D. Plating separation		4
E. Etching problems		2
Total	50	50

b. Pareto chart, from OM Explorer.



- c. Cause-and-effect diagram (Note: several alternative ideas are possible here.)



CASE : CUSTOM MOLDS, INC. *

A. Synopsis

Custom Molds, Inc. is a small fabricator of custom-designed molds that are used in injection molding machines to make plastic parts. Its major customers are in the electronics industry where large volumes of plastic connectors are used. The company has recently noticed a shift in its market as the total demand for molds has declined, but the requests for molded parts have increased. In response to this shift, Custom Molds, Inc. has expanded its operations to include the manufacture of plastic parts. The case provides students with the opportunity to analyze the different processes associated with mold fabrication and parts production and to discuss the interaction between process management decisions and competitive priorities.

B. Purpose

The purpose of this case is to focus the student on issues relating to process strategy and to discuss how decisions involving process structure, customer involvement, resource flexibility, and capital intensity interact with different competitive priorities. Students need to resolve what it will take to compete effectively in each of Custom Molds' markets and how best to configure its processes. One needs to consider specific issues:

1. There are two distinctly different processes taking place in the same facility. The students should diagram each process (see flowcharts in Chapter 2) and compare/contrast the strengths and weaknesses of each.

* This case was prepared by Dr. Brooke Saladin, Wake Forest University, as a basis for classroom discussion.

2. The different processes serve different customer needs. Mold fabrication requires flexibility and quality where parts manufacturing competes on delivery and low cost. The margin for parts is much smaller.
3. Although the number of orders has remained relatively stable, the volume per order for **parts** has increased significantly over the last three years. This increase has caused bottlenecks in the shop and has led to late deliveries of parts.
4. The change in sales mix has created excess capacity in mold fabrication, and the owner has relegated one of the master machinists to the role of expeditor.

C. Analysis

Students should begin their analysis by examining the market trend data in the two tables in the case. These data clearly show that although the number of orders received over the three-year period for molds has remained constant, the total number of molds fabricated has shown a declining trend: 722 in 2015, 684 in 2016, and 591 in 2017. With 13 master machinists employed, mold fabrication capacity can be estimated at

$$\begin{aligned} &13 \text{ machinists} \times 250 \text{ days/year} \div 5 \text{ days/mold} \\ &\text{or } 650 \text{ molds fabricated/year} \end{aligned}$$

Another way to look at the excess capacity question is that each master machinist working 250 days per year, averaging five days' processing time per mold fabricated, can produce 50 molds per year. At a current demand rate of 591, only 12 master machinists are required.

As an aside, note that the regular-time capacity of 650 molds per year was actually insufficient to handle the demand in 2015 and 2016. Presumably overtime was used in these earlier years to make up the shortfall, although not stated in the case. At this point the changing sales mix not only alleviated any earlier capacity shortage, but created enough excess capacity now that Tom Miller reassigned one of the master machinists to an expediting function.

Parts manufacturing, however, shows the opposite trend. The number of orders has actually declined a bit but the total of parts processed has risen drastically over three years: 47,200 in 2015, 67,150 in 2016, and 114,850 in 2017. Although data are not provided on the processing times of individual parts, we can see that the order sizes are getting much larger. This trend has most likely caused bottlenecks at the injection molding operation, because the operations both before and after the injection machine take only one or two days to complete. Therefore, the late deliveries that customers are complaining about are probably due to molds being delayed or orders waiting for the injection machines. Delays and time pressures may also be contributing to quality problems as operators hurry to process orders.

The analysis should then determine the process flow in diagrams of each step. This will enable students to see where time and resources are being consumed. These flows can be compared to the layout block plan in Figure 2.21 to get an idea of the material flows in the plant.

In the final phase of the analysis, students should discuss the strengths and weaknesses of each process and relate these to the different competitive priorities needed to compete in each market.

Mold Fabrication	Parts Manufacturing
Job process	Line process
High customer contact	Less-skilled labor
High-skilled labor	More capital intensive
Divergent processes	Less-divergent process

The mold fabrication market requires a great deal of flexibility in order to design and custom-make molds to meet customer requirements. Quality is also very important in meeting demanding specifications. Short delivery times are less critical, as the design phase, working closely with the customer, can be lengthy. Costs are also a secondary consideration, as the cost of the mold is typically a minor component of the customer's overall cost of manufacturing.

Custom Molds, Inc. has expanded into the manufacturing of plastic parts. Parts manufacturing is a higher-volume, cost-sensitive market. Parts are needed in a timely manner to keep customer production processes running. Volume flexibility becomes more important than product flexibility. So students should be able to see that the company has exposed itself to a different set of competitive priorities.

D. Recommendations

At this stage, early in an operations management course, specific recommendations will be difficult for students and should not be the primary focus. The instructor should look for general recommendations concerning: (1) capacity decisions and the allocation of production resources; (2) the possible orientation toward either molds fabrication or parts manufacturing; and (3) the physical separation and focusing of each distinct process. A sample student response to the discussion questions that follow will give (Exhibit TN.1) some idea of what to expect from a student in an introductory course in operations and supply chain management course.

E. Teaching Strategy

This case is designed to be used early in the course. A primary focus is to expose the students to the concept of flowcharting processes and using the flowcharts to analyze the strengths and weaknesses of the processes. A second focus is to show the students the impact that process choice decisions have on the ability of the company to compete on different competitive priorities.

For best results the instructor should assign this case as a homework assignment. Students should come to class prepared to share their process flow diagrams. The discussion then can pretty much follow the discussion questions at the end of the case.

First make sure the students realize the company faces capacity issues brought about by the expansion into parts manufacturing. Then move to the analysis of the flowcharts. As students begin to see the strengths and limitations of each process, you can then move on to a discussion of the interaction between market-required competitive priorities and differing process characteristics.

This case can easily take a full 50- or 75-five-minute class if students share their flowcharts and the instructor has the class as a group develop the two flowcharts on the board. This, however, is a good exercise for students to be involved in, as they learn that flowcharts for even seemingly simple processes may be more difficult to develop than they thought.

EXHIBIT TN.1**Custom Molds, Inc. Student Responses*****Question 1***

The Millers face a changing market environment for their two product lines—molds and plastic parts—a problem that they must address. The mold market is in the mature phase. Though the number of mold orders is constant, the average number of molds per orders is decreasing. This information may imply that customers are letting Custom Molds prototype the mold design, but they are then fabricating the molds in-house once they validate the design. The plastic parts market is in a growth phase, at least from the Millers' perspective. The plastic parts market shows a sizable increase in average order size. This market shift is causing the Millers' problems on the shop floor as the company shifts from mold production to plastic parts production.

Question 2

The market shift from molds to plastic parts impacts Custom Molds because of the different production process required for each product. Mold production is a job process environment with only a limited number of molds manufactured per order. This process requires highly trained and skilled workers to manufacture the molds. Plastic parts production is primarily a batch process, with characteristics of a line process, which produces small runs of similar products. Unlike mold production, the skill level of the labor is not as high. However, both products are made to order, so there are similarities between the two, especially in terms of production scheduling.

Quality, product design, and flexibility are important competitive priorities for the molds. Price and delivery are competitive factors but only as order qualifiers, not order winners. For the plastic parts, delivery and price are more important; quality and flexibility become order qualifiers. The importance of maintaining the delivery schedule has caused many of the problems with Custom Molds production.

Both production processes at Custom Molds have a great deal of slack time. For example, the company schedules two to four weeks for fabrication of molds although it takes only three to five days to make the mold. For molds, these delays are not a major factor. For plastic parts, production time for 500 parts is four days' mixing, molding, trimming, inspecting, packing, and shipping. With assembly, the parts require an additional three days. Generally the company waits one week for the compounds to arrive and one week lead time before producing the molds. This provides a tight schedule for the company to meet the three-week lead time for plastic parts order promising.

Question 3

Alternatives for the Millers are as follows:

1. They can shift their focus to plastic parts production. This will require increasing the space dedicated to plastic parts production or adding additional space. This will also require a move away from the expediting mentality. The use of skilled machinists to expedite parts is a waste of resources. It is likely that the delays are due to a combination of expedited orders that slow regular orders and limited capacity. This choice will require commitment to expand resources and maintain delivery reliability.

In addition, the company will need to recognize the increased importance of price competition.

2. They can move back to the focus on molds. However, this requires moving against the apparent trend in the industry. This strategy will require Custom Molds to take business away from competitors in order to grow the business. Price competition may become the primary factor in industry competition. However, it is unlikely they can profitably increase their business if they follow this strategy.

CASE: JOSE'S AUTHENTIC MEXICAN RESTAURANT *

A. Synopsis

Jose's Authentic Mexican Restaurant is a small, independently owned local restaurant. Ivan, the waiter, has noticed a significant reduction in the size of tips, leading him to concerns about the quality of the food and service. The characteristics of the restaurant and the process that takes place in the restaurant are described following. Students are asked to think of the characteristics of this environment that define quality to the various players, identify the implied costs of quality, and apply some of the analysis tools provided in the text.

B. Purpose

This case provides a scenario to which students can relate. Nearly every student has eaten at a small ethnic restaurant, and you can count on their collective experience to flesh out the unspoken issues presented in the case. There is sufficient description of the process to spark considerable discussion as to how the nature of the process (and the internal customer chain) interacts with the external customer's perception of quality. The students need to develop definitions and measures of quality from several perspectives and then think of how to integrate these different views. A discussion of the restaurant's management has been purposefully excluded from this case so that the students can freely devise the interventions that should be taken to improve quality at Jose's.

C. Discussion

1. The first question, asking how quality is defined, is designed to get students to think of defining quality from the perspective of the various players. At a minimum, the students should be able to describe the external customers as the patrons (diners) and the internal customer chain as the cook and wait staff. Other expansions may be offered as well (hostess, management, busboys, other kitchen staff, suppliers, community, etc.). A partial list of factors is presented below. No doubt, your students will come up with many more characteristics that can be used to define quality.

A. To the external customers (the diners), quality is defined by their expectations. The case does not explicitly describe all of the following but much may be inferred by the students based on their experiences with restaurants. The customers can expect any or all of the following:

1. Location and access (to be in a reasonably safe, aesthetically acceptable location, to be within walking distance, have adequate parking, be served by public or other transportation).
2. Ambiance. The appearance of the facility should fit its place and purpose.
3. Appropriate recognition on arrival (greeted by the hostess, apprised of any wait, seated in an acceptable location).

* This case was prepared by Dr. Larry Meile, Boston College, as a basis for classroom discussion.

Copyright © 2019 Pearson Education, Inc.

4. Pleasant and attentive interaction with the wait staff (a greeting shortly after being seated, orders taken when *they* are ready, well-paced delivery of food items, periodic checks for additional needs, the bill presented when *they* are ready). Of course, determining the specific desires of each party is a particular challenge that must be met by the waiter. Do they want to speedily complete the meal and be on their way? Or, do they prefer a leisurely paced repast? Is the party in the mood for some light banter from the waiter or do they prefer to be left alone? This may be the quality characteristic over which Ivan has the most control.
 5. Good-tasting food served in an appealing fashion (taste, temperature, portion, presentation). This characteristic, if held constant, is probably most important for first-time patrons. Repeat patrons already know what they are in for.
 6. Conformance to regulatory agency guidelines. If the restaurant is open, it is assumed that it has been inspected and passed by the appropriate regulatory agencies.
 7. Value. The combination of all the preceding when price is factored in.
- B. To the cook, an internal customer, quality is largely related to the work environment.
1. The raw materials are available when needed, are fresh and tasty, have good appearance, are easy to prepare (perhaps even have some of the nasty tasks already completed—like prepeeled potatoes), and are consistent from purchase to purchase.
 2. The equipment is properly suited for the task, performs reliably (e.g., the oven is always at 350° when the dial is set to 350), is easy to use, and is laid out effectively.
 3. The environment is satisfactory; it is well lit and temperature controlled, coworkers and management offer respect, work load is reasonably level (ideally there is no mealtime rush to contend with), working hours are acceptable, wages and benefits are competitive, salary is paid on time.
- C. To Ivan (also an internal customer), quality also relates to the workplace environment.
1. The quality of the finished goods (the meals). The meal is the one described in the menu, it is of adequate portion, it is produced in a timely fashion, it tastes good, and it has a pleasant appearance.
 2. The serving equipment is appropriate, functional, and clean. The dishes, cups, glasses, tableware are clean and appropriate for the purpose. The tablecloth and seating area are clean and orderly. The waitstation has the appropriate equipment (coffeemaker, ice and water dispenser, etc.)
 3. The environment provides a place in which it is pleasant to work (many of the same issues as the cook, listed earlier).
- D. To the restaurant's management, quality is primarily related to the firm's image (in addition to the personal working environment issues faced by all employees).

1. The restaurant's reputation in the community: viewed as an asset to the community, a community supporter, a source of gainful employment, a nonpolluter, a good neighbor.
2. The restaurant's image in the eye of the consumer (diner): all of the customer's quality issues mentioned previously are met.
3. The restaurant's image with governmental agencies: the health department finds little fault with its operation, fire codes are met, appropriate security measures have been taken, taxes are paid in full and on time.

Quality definitions can also be discussed by category:

- ☐ Customer-driven definitions of quality
 - ☐ Conformance to specifications—food (weight, appearance, congruent with menu description), preparation time, meeting health regulations.
 - ☐ Value—customers feel that the food, service, and ambiance are worth the price.
 - ☐ Fitness for use—customers leave feeling well fed. Dietary concerns are met (low fat, low sodium, etc. where appropriate)
 - ☐ Support (recovery from failure)—if something is not satisfactory, how is it rectified (issue recognized, apology offered, items quickly replaced, substitutes offered, bill adjusted, etc.)?
 - ☐ Psychological impressions—the feeling the diner gets based on the atmosphere of the restaurant, the interactions with the staff, and the characteristics of the food.
2. Question two asks the students to list some of the costs of poor quality. Although specific values cannot be placed on them, conceptual sources of costs can be identified. Note that these can be viewed from the restaurant's perspective and from Ivan's perspective, and by shifting the view, the interventions (and costs) change. A short list of possible actions and costs is provided following:

A. Prevention:

Restaurant: Purchase better food stock (dollars). Reject and reorder subpar supplies (time)
 Set (and meet) food preparation standards (time)
 Ivan: Cull out poorly prepared meals; ask for replacements (time)

B. Appraisal:

Restaurant: Inspect incoming food stock (time)
 Survey
 Ivan: Inspect meals prepared by the cook (time)

C. Internal failure:

Restaurant: Replace (or rework) rejected meals (time, dollars)
 Ivan: Help the cook get an order out faster (time)

D. External failure:

Restaurant: Unsatisfactory customer experience (dollars)
 Ivan: Poor-quality meal to be served to customer (dollars)

3. Four of the quality tools are appropriate for Question Three. Checklists are already done. Results of the customer satisfaction survey are shown in the case. From this list a histogram or bar chart of the customer complaints can be made (see Exhibit TN.1) and a Pareto chart ranking them in importance can be constructed (see Exhibit TN.2).

It may be useful to ask the students if the survey results include all Jose's customers. The concept of nonresponse bias can be brought forth. Maybe long-time satisfied customers figure if nothing is wrong, no reply is needed. Maybe disgusted customers are so put out that they don't even want to take the time to help rectify the situation. They will simply vote with their feet and not return. Also note that the data collected clusters the results from both first-time and returning customers. Point out to the students that a great deal of information may be lost by not reporting these results separately.

Also ask the students about what information was *not* captured when a negative response was given to any of the customer survey questions. If they were not seated promptly, how long did they wait? If the waiter was not satisfactory, what was lacking? If the food was not enjoyable, what was the problem? Finally, if the dining experience was not worth the cost, what needs to be changed?

A cause-and-effect (fishbone) diagram (see Exhibit TN.3) can be constructed from the results of the survey, the information given in the text of the case, and some assumptions about the behavior of the restaurant (as suggested by the students from their dining experiences).

D. Recommendations

Although no specific recommendations are called for, the students should be pressed to think of what Ivan can do to improve his situation. The concept of employee involvement (one of the elements of the TQM Wheel) can be discussed here. This case provides a reverse view of the material discussed in the chapter. The chapter talks of management's challenge in establishing appropriate cultural change (including awareness of the voice of the customer, advocating the concept of an internal customer chain, and quality at the source), promoting individual development, and creating effective awards and incentives. All of these issues can be viewed from Ivan's perspective and point out the frustrations experienced by employees if good quality management is not practiced.

E. Teaching Suggestions

It is effective to ask the students to read this case before the discussion of the material in the chapter. The case then can act as a common situation that can be used when lecturing on the various quality topics. As the topics addressed by the questions at the end of the case are covered by lecture, the students can be asked to respond to them as part of the classroom discussion.

If the case is used after the chapter material has been covered, it can be used as a cold-call case or it can be assigned for preparation before discussion in class. If prior preparation is done, it may be effective to have the students answer the questions by themselves and then meet as small groups to consolidate their ideas.

When discussing the costs of poor quality, it may be useful to provide a table for the students on the board or on an overhead transparency listing the four costs and providing two columns, one for the restaurant and one for Ivan as follows:

	Restaurant	Ivan
Prevention		
Appraisal		
Internal failure		
External failure		

Possible points for discussion (those points in italics are covered in the preceding discussion):

Customer-driven definitions of quality

Conformance to specifications

Value

Fitness for use

Support (recovery from failure)

Psychological Impressions

Quality as a competitive weapon

Employee involvement

Customer definition

External

Internal

Continuous improvement

Plan-do-act-check cycle

Costs of poor quality

Prevention

Appraisal

Internal failure

External failure

Improvement through TQM

Benchmarking (Not done within the case but the concept could be discussed.)

Product/service design

Reliability

Tools for improving quality

Checklists (customer satisfaction survey)

Histograms/bar charts

Pareto charts

Cause-and-effect (fishbone) diagram

EXHIBIT TN.1

A Bar Chart of the Customer Complaints from the Customer Satisfaction Survey Shown in the Case

Were you seated promptly?	Yes	70		No	13
Was your waiter satisfactory?	Yes	73		No	10
Were you served in a reasonable time?	Yes	58		No	25
Was your food enjoyable?	Yes	72		No	11
Was your dining experience worth the cost?	Yes	67		No	16



EXHIBIT TN.2

A Pareto Chart Ranking Customer Complaints





EXHIBIT TN.3

A Possible Cause-and-Effect (Fishbone) Diagram

**Alternate survey:**

1 = Completely Satisfied; 5 = Extremely Dissatisfied

How satisfied were you with	Customer survey results (Number of replies to each response option)				
	1	2	3	4	5
Promptness of seating	129	63	19	14	9
Service of your waiter	134	56	31	0	14
Speed of service	110	45	40	9	31
Enjoyability of food	122	52	31	16	14
Price of dinner	129	71	19	2	14

ADDITIONAL CASE IN MyLab Operations Management

CASE: THE FACILITIES MAINTENANCE PROBLEM AT MIDWEST UNIVERSITY *

A. Synopsis

This case describes the problems facing a medium-sized university, Midwest University, as it tries to maintain 60 buildings on campus. The specific problem is slow response time in completing work-order requests. The facilities maintenance area is organized, structured, and scheduled around skilled craft areas. The issue facing Sean Allen, manager of the facilities area, is how to organize and manage his personnel to reduce this poor response time.

B. Purpose

The focus of this case is to highlight the importance that job design plays in the delivery of a quality service package. As it now stands, the facilities maintenance area at Midwest University is organized around craft functions, in much the same way most traditional organizations are organized around finance, marketing, and operations. The problem is that the processes necessary to provide a quality service require coordination and integration across the skilled crafts. This leads to the necessity of redesigning the way work is to be completed. The issues of job design brought out in the case include:

1. Movement from a vertical organizational structure to a multicraft team-oriented, horizontal organization
2. Use of enlargement, rotation, and enrichment as jobs are redesigned
3. Training requirements necessary to support the new job designs
4. Measuring the performance of the new organizational structure and providing appropriate recognition

C. Analysis

The analysis and class discussion should begin by focusing on the issue of why facilities maintenance is providing such poor response times to work-order requests. Students who have ever lived on campus will readily identify with this problem. Five- to ten-day lead times for work requests that, for the most part, take less than one hour do seem a little absurd. The analysis of the problem should focus on the key factors that contribute to this poor performance. Students should quickly be able to identify the following three factors:

1. The difficulty in prioritizing work-order requests across both crafts and buildings for scheduling purposes

* This case was prepared by Dr. Brooke Saladin, Wake Forest University, as a basis for classroom discussion.

2. The frequent need to involve more than one craft in order to complete the work-order request
3. The geographical dispersion of 60 different buildings that need to be maintained
 As the problem-identification discussion continues, students may add other factors to these three. The instructor's job here is to bring the students to the realization that the top-down scheduling of work-order requests across crafts and 60 different buildings is a very complex and integrative process. Students should begin to realize that poor lead-time performance is actually a symptom of a much larger problem, that is, the conflicts that are present by having a "functional silo" orientation to job design when the performance of the job to meet customer requirements calls for a multidisciplinary team approach. The rest of the analysis should focus on the seven key elements of job design for horizontal organizations:
 1. *Organize around processes:* Ask students to identify the core processes that are critical to the success of the facilities maintenance area. Key processes identified should include:
 - ☐ Order receipt and processing
 - ☐ Work scheduling and dispatching
 - ☐ Physical maintenance and repair
 2. *Flatten the organizational hierarchy:* Supervision can be reduced by breaking down the "functional craft silos" and the inherent managerial redundancy created by each craft managing itself.
 3. *Teams manage the organization:* Teams can be organized around the core processes identified in point #1. Another factor to consider is the geographical dispersion of the buildings on campus. Teams could be organized not only as multicraft maintenance and repair groups but also around specific geographical areas of the campus. Teams could then receive, schedule, and repair their own work requests over a designated number of buildings. This would push responsibility through the teams and help alleviate the problem of travel across campus.
 4. *Customers drive performance:* By having teams assigned to specific buildings, relationships that would enhance the teams' knowledge of customer requirements could be developed. Specific measures of customer satisfaction would need to be developed.
 5. *Management rewards team per performance:* This structure naturally leads to cross-training opportunities for which team members could be rewarded. Other measures, such as number of work requests completed per time period, average time to complete a work request, and customer satisfaction index ranking, need to be established to evaluate the performance of the team as a whole.
 6. *Supplies and customer contact:* Geographical assignments will help foster customer contact. This decentralization may, however, remove the teams from maintenance and repair suppliers.

7. *Training programs for all employees:* Training should not only include the opportunity for cross-craft skill training but should also look at communication, team building, process improvement, problem solving, and administrative skills.

D. Recommendations

The instructor should focus the students on looking at the “big picture” in making recommendations with respect to job design. Students should address the issue of moving toward a horizontal organization and away from the traditional, vertically oriented craft silos. Their recommendations should encompass each of the seven key factors of job design.

As a side note, the manager of facilities maintenance actually created cross-functional craft teams and assigned these teams to specific areas of the campus. Individual teams were responsible for scheduling and completing work within their own assigned geographical area. The custodial staff was also integrated into the team, which helped in planning and completing routine maintenance. The teams were able to become familiar with both their “customers” and the individual needs of the buildings in their area. Response times have been drastically reduced, with 50% of the requests getting same-day service and 80% of the work-order requests getting next-day service. Large requests that exceed the resources of an individual team are still coordinated by the main office.

E. Teaching Strategy

This is a short cold-call case that is positioned to get students thinking about the impact job design has on an organization’s ability to satisfy customer needs. Students should draw not only from the material on teams in Chapter 5, “Quality and Performance”, but also from the concepts in Chapter 3, “Process Strategy”.

If you like using groups, this case can be effectively discussed by breaking the class into groups and giving them 15 to 20 minutes to brainstorm alternative approaches to reducing the response time to work-order requests. Then get them back together and go around to each group for a report on what they brainstormed, putting each group’s responses on the board. Compare and contrast the similarities and differences in each group’s approach.

The instructor should take the last 10 to 15 minutes to categorize the group’s responses on the board with respect to the major concepts of the chapter. Indicate which alternatives focus on each of the seven key factors of job design; which responses deal with enlargement, rotation, or enrichment; which focus on the development of standards, training needs, or incentive plans. By doing this summary, the instructor has the opportunity to tie the concepts of job design together into an integrated whole. You can conclude by describing briefly what actually happened as presented in the recommendation section.

Chapter

2

Process Strategy and Analysis

TEACHING TIP

This chapter focuses on process strategy and analysis, which specifies the pattern of decisions made in managing processes so that the processes will achieve their competitive priorities assigned to it, such as quality, flexibility, time, and cost. Note that supply chains have processes also, they just have external suppliers and customers. The chapter then provides some tools and perspectives of process analysis

TEACHING TIP

Introduce with a business example, such as CVS Pharmacy. The opening illustrates that careful design and execution of processes can have a positive impact on customer satisfaction and ultimately on the business outcomes and financial success.

1. Emphasize that processes are everywhere, in all functional areas of the enterprise.
 - a. As explained in Chapter 1: processes are found in accounting, finance, human resources, management information systems, marketing, supply chain, and operations.
 - b. They are the basic unit of work.
2. Managers must see to it that processes in all departments are adding as much customer value as possible.
3. Two basic change strategies for analyzing and modifying processes: process reengineering and process improvement
4. Three particularly important principles concerning process strategy
 - a. Successful process decisions require choices that fit the situation and make sense together (*strategic fit*).
 - b. Individual processes are the building blocks that eventually create the firm's whole supply chain.
 - c. Management must pay particular attention to the interfaces between processes whether they are performed internally or externally by outside suppliers or customers. These interfaces underscore the need for cross-functional coordination.
5. Four common process decisions
 - a. Process structure
 - b. Customer involvement
 - c. Resource flexibility
 - d. Capital intensity

1. Process Structure in Services

TEACHING TIP

One of the first decisions a manager makes in designing a well-functioning process is to choose a process type that best achieves the relative importance of quality, time, flexibility, and cost for that process.

1. Nature of Service Processes: Customer Contact

a. A good process strategy for a service process:

- Depends on the type and amount of customer contact.
- Customer contact: the extent to which the customer is present, is actively involved, and receives personal attention during the service process.

b. Dimensions of customer contact

- Physical presence (face-to-face interaction is sometimes called a *moment of truth*, or *service encounter*)
- What is processed
 - ⇒ People-processing services
 - ⇒ Possession-processing services
 - ⇒ Information-based services
- Contact intensity
 - ⇒ Active contact: the customer is very much a part of the creation of the service, and affects the service process itself. Dental, psychiatric services for example.
 - ⇒ Passive contact: the customer is not involved in tailoring the process to meet special needs, or in how the process is performed. Public transportation, theaters, for example.
- Personal attention
 - ⇒ When contact is more personal, the customer “*experiences*” the service rather than just receiving it.
- Method of delivery used
 - ⇒ Face-to-face or telephone versus regular mail or standardized e-mail message

2. Customer-contact matrix (fitting the service processes with customer contact)

a. Customer contact and customization

- A key competitive priority is how much customization is needed
- Competitive priorities require more customization, the more the customer is present and actively involved.

b. Process divergence and flow

- Process divergence: extent to which the process is highly customized with considerable latitude as to how it is performed

- ⇒ High divergence involves much judgment and discretion. Consulting and law, for example
 - ⇒ Low divergence is more repetitive and standardized
 - Process flow, closely related to divergence, may range from highly diverse to linear.
 - ⇒ Flexible flow means movements in diverse ways.
 - ⇒ Line flow means movement in fixed sequence.
3. Service process structuring (three process structures forming a continuum)
- a. Front office: a process with higher customer contact where the service provider interacts directly with the customer
 - b. Hybrid office: a process with moderate levels of customer contact and standard services with some options available
 - c. Back office: a process with low customer contact where the service provider interacts little with the customer

TEACHING TIP

The Ritz-Carlton Hotel Company targets the top 1 to 3 percent of luxury traveler, and so gives a huge emphasis on customization and top quality. The associates at the front desk characterize a front office, because the customers are present, take an active part in creating the service, receive personal attention, and have face-to-face contact.

2. Process Structure in Manufacturing

TEACHING TIP

Emphasize that many processes in a manufacturing setting are actually services to internal (or external) customers, so the previous section applies also to manufacturing.

Manufacturing processes convert materials into goods that have a physical form.

1. Product-process matrix
 - Three elements
 - Volume
 - Product customization
 - Process characteristics
 - A good strategy for a manufacturing structure depends first on volume.
 - Customer contact is not normally a consideration for manufacturing processes, although it is a factor for the service processes in manufacturing organizations.
 - Vertical dimension deals with the same two characteristics in the customer-contact matrix: divergence and flow
2. Manufacturing process structuring

- Process choice: A way of structuring the process by organizing resources around the process or organizing them around the products
 - Four process choices, forming a continuum
 - Job process, high variety of products
 - Batch process, higher volumes, batching of customer orders. Further differentiated as small batch and large batch processes.
 - Line process, high-volumes, standardized products, dedicated resources, repetitive manufacturing
 - Continuous flow process, the extreme end of high-volumes, rigid line flows. Primary material moves without stopping.
3. Production and inventory strategies
- Design-to-Order Strategy
 - Designing new products that do not currently exist
 - Manufacturing to meet unique customer specifications
 - Make-to-order strategy
 - Make products to customer specifications in low volumes with job or small batch processes,
 - Matches up with flexibility (customization) and top quality
 - Assemble-to-order strategy
 - Producing a wide variety of products from relatively few subassemblies and components after the customers orders are received
 - Allows delivery speed and high process divergence
 - Principle of *postponement*
 - Make-to-stock strategy
 - Feasible for standardized products with high volumes and reasonably accurate forecasts with line or continuous flow processes
 - Holding items in stock for immediate delivery
 - Combined with line process, it is sometimes called **mass production**
 - Choice for delivery speed and low cost

4. Layout

A *layout* is the physical arrangement of operations (or departments) created from the various processes and puts them in tangible form

An *operation* is a group of human and capital resources performing all or part of one or more processes.

See Supplement K

3. Process Strategy Decisions

1. Customer Involvement

TEACHING TIP

McDonald's uses its self-ordering kiosks to get its customers involved in the ordering process and to customize their orders. This process not only increases accuracy of the order, but also streamlines the process.

a. Possible advantages

- Improved competitive capabilities
- Can increase value to customer
- Can improve quality for some services if the customer seeks to be more active and to receive more attention
- Can mean better quality and speed up delivery, or at least reduce the perceived waiting time
- Might help when customization and high variety are highly valued
- Costs can be reduced
- Customers can perform final assembly: bicycles, toys for example
- Can also help coordinate across the supply chain.

b. Emerging technologies: in a market where customers are technology-enabled, companies can now engage in an active dialogue with customers and make them partners in creating value.

c. Possible disadvantages

- Can be disruptive, making the process less efficient
- Can make the process too divergent
- Quality measurement becomes more difficult
- Requires more interpersonal skills
- Layouts may have to be revised
- Can require many smaller decentralized facilities closer to the customer or a mobile service capability

2. Resource Flexibility

a. Workforce

- Implications of a flexible workforce
 - ⇒ Requires more education and training
 - ⇒ Alleviates capacity bottlenecks, volume flexibility
 - ⇒ Often increased job satisfaction
- Volume flexibility and needed skills determine the type of workforce.

- ⇒ Steady volume, high skills—permanent workforce
- ⇒ Variable volume, low skills—part-time or temporary employees to supplement permanent workforce
- ⇒ Variable volume, high skills—trained flexible force that can be moved to produce whatever the market demands

b. Equipment

- Managers must account for process divergence and diverse process flows when making resource flexibility decisions. Break-even analysis can be useful.
- **Application 2.1 Break-Even Analysis in Process Choice.**

BBC is deciding whether to weld bicycle frames manually or to purchase a welding robot. If welded manually, investment costs for equipment are only \$10,000. The per-unit cost of manually welding a bicycle frame is \$50.00 per frame. On the other hand, a robot capable of performing the same work costs \$400,000. Robot operating costs including support labor are \$20.00 per frame. At what volume would BBC be indifferent to these alternative methods?

	If welded manually (Make)	If welded by robot (Buy)
Fixed costs	\$10,000	\$400,000
Variable costs	\$50	\$20

$$Q = \frac{F_m - F_b}{c_b - c_m} = \frac{(10,000 - 300,000)}{(20 - 50)} = 13,000 \text{ frames}$$

- **Tutor 2.2** in MyLab Operations Management demonstrates how to do a break-even analysis for equipment selection.

3. Capital Intensity

- a. Capital intensity is the mix of equipment and human skills in the process; the greater the relative cost of equipment, the greater is the capital intensity.
- b. Automating manufacturing processes
 - Advantage
 - ⇒ Classic way of improving productivity when volume is high
 - Disadvantages
 - ⇒ Automated (capital intensive) operations must have high utilization.
 - ⇒ Automation may not fit with competitive priorities being emphasized.
 - ⇒ More capital intensity is not always best.

TEACHING TIP
<i>Give business example, such as Gillette's package customization.</i>

- Fixed automation: a manufacturing process that produces one type of part or product in a fixed sequence of simple operations
 - ⇒ High demand volume
 - ⇒ Stable product design
 - ⇒ Long life cycle

TEACHING TIP

<i>Mention chemicals and oil.</i>

- Flexible (or programmable) automation: a manufacturing process that can be changed easily to handle various products.
 - ⇒ Useful in both low-customization and high-customization
 - ⇒ Can be quickly set up to make a variety of products in small batches
 - ⇒ Perhaps show photos of the JustBorn robots
- c. Automating service processes
- Using capital inputs as a labor-saving device is also possible for service processes. Examples:
 - ⇒ Long-distance learning technology
 - ⇒ ATMs
 - ⇒ Financial services
 - ⇒ Need volume to justify expensive automation, just as in manufacturing
 - ⇒ May be front or back office
- d. Economies of Scope
- Requires a family of products having enough collective volume to utilize equipment fully

4. Strategic Fit

The manager process strategist should understand how the four major process decisions tie together.

1. Decision patterns for service processes
 - a. Process structure
 - b. Customer involvement
 - c. Resource flexibility
 - d. Capital intensity
2. Decision patterns for manufacturing processes
 - a. Process structure
 - b. Customer involvement
 - c. Resource flexibility
 - d. Capital intensity
3. Gaining focus
 - a. Focus by process segments
 - Plants within plants (PWPs)
 - b. Focused service operations
 - c. Focused factories

5. Strategies for Change

1. Process reengineering

TEACHING TIP

Mention Bell Atlantic reengineered its telephone business. After 5 years, it cut the time to connect new customers from 16-days to just hours.

- a. Critical processes
 - Emphasis is placed on core business processes.
 - Processes are broadly defined in terms of costs and customer value.
- b. Strong leadership
 - Senior executives must provide a strong leadership for reengineering success
- c. Cross-functional teams
 - Reengineering works best at high-involvement workplaces.
- d. Information technology
 - Primary enabler of process engineering.

- e. Clean-slate philosophy
 - Start with the way a customer wants to deal with the company.
- f. Process analysis.
 - Understanding current processes can reveal areas where new thinking will provide the biggest payoff
- 2. Process Improvement
 - a. The systematic study of the activities and flows of each process to improve it.
 - b. The purpose is to understand the process.
- 3. Process Analysis
 - a. The documentation and detailed understanding of how work is performed and how it can be redesigned
 - b. Six Sigma Process Improvement Model: employees must be trained in the “whys” and the “how-tos” of process performance and what it means to customers, both internal and external
 - Define: the scope and boundaries of the process to be analyzed are first established.
 - Measure: once the metrics are identified, it is time to collect information on how the process is currently performing on each one.
 - Analyze: use the data on measures to perform process analysis to determine where improvements are necessary.
 - Improve: design team generates a long list of ideas for improvements. These ideas are then sifted and analyzed.
 - Control: monitor the process to make sure that high performance levels are maintained.

6. Defining, Measuring and Analyzing the Process

TEACHING TIP

Introduce this section with business examples. It could be how processes were improved at McDonald's Corporation, which increased customer value with better processes, informed by innovative data collection.

- 1. Techniques give management insight on current processes and possible changes.
 - a. flowcharts
 - b. work measurement techniques
 - c. process charts
- 2. Flowcharts
 - a. Diagrams that trace the flow of information, customers, equipment, or materials through the various steps of a process.

- b. Flowcharts show how organizations produce their outputs through a myriad of cross functional work processes, allowing the design team to see all the critical interfaces between functions and departments.
- c. Swim Lane Flowcharts
 - A diagram that groups functional areas responsible for different sub-processes into lanes.
 - It is most appropriate when business processes span several departmental boundaries.
- d. Service blueprints
 - A special flowchart of a service process that shows which of its steps has high customer contact.
 - Special feature: line of visibility that identifies which steps are visible to the customer.

TEACHING TIP

<i>A more comprehensive treatment of work measurement techniques is provided in MyLab Operations Management Supplement H, "Measuring Output Rates" Supplement I, "Learning Curve Analysis"</i>
--

3. Work Measurement techniques

- a. Time study method
 - Selecting the work elements within the process to be studied
 - Timing the elements
 - Determining the sampling size
 - Setting the final standard
- b. Elemental standard data approach
 - Database of standards compiled internally for basic elements
 - Works well when work elements within a certain jobs are similar to those in other jobs
 - Sometimes the time required for a work element depends on variable characteristics of the jobs
- c. Predetermined data approach
 - Published database that divides each work element even more, into micromotions
- d. Work sampling method
 - Estimates proportion of time spent on different activities
 - *Supplement H, "Measuring Output Rates" in MyLab Operations Management*
- e. Learning curve analysis
 - Takes into account learning that takes place on ongoing basis
 - Learning curve and concept of doubling

- Supplement I, “Learning Curve Analysis” in MyLab Operations Management

4. Process Charts

- Concentrates in more detail on a smaller number of steps than does a flowchart.
- It is an organized way of documenting all of the activities performed by a person or a group of people at a workstation, with a customer, or working with certain materials.
- Five possible categories
 - Operation
 - Transportation
 - Inspection
 - Delay
 - Storage
- Estimate the annual cost of the entire process.
 - It becomes a benchmark against which other methods for performing the process can be evaluated.
 - Annual labor cost can be estimated by finding the product of
 - ⇒ (1) time in hours to perform the process each time
 - ⇒ (2) variable costs per hour
 - ⇒ (3) number of times the process is performed each year

TEACHING TIP

Mention Video Case: “Process Analysis at Starwood.” If possible, show the video that accompanies it, using the questions at the end of the written case and the “pause point” in the video itself to encourage class discussion.

5. Data analysis tools

- Checklists: a form used to record the frequency of occurrence of certain process failures.
- Histograms and bar charts
 - Histogram: summarizes data measured on a continuous scale, showing the frequency distribution of some process failures.
 - Bar chart: a series of bars representing the frequency of occurrence of data characteristics measured on a yes-and-no basis
 - Use **Figure 2.11**
- Pareto Charts: a bar chart on which the factors are plotted in decreasing order of frequency along the horizontal axis.
 - Use **Example 2.2**
- Scatter diagrams: a plot of two variables showing whether they are related.
- Cause-and-effect diagram: relates a key performance problem to its potential causes (sometimes called a *fishbone diagram*).

- Use **Example 2.3**
- f. Graphs: representations of data in a variety of pictorial forms, such as line and pie charts.
 - Line charts (see the “Quality and Performance” Chapter)
 - Forecasting (see Chapter 8, “Forecasting”)
- 6. Data snooping
 - a. The power of the data analysis tools is greatest when they are used together.
 - b. Data snooping is the use of the tools to sift data, clarify issues and deduce causes.
 - c. Use **Example 2.4**
- 7. Simulation
 - a. The act of reproducing the behavior of a process using a model that describes each step of the process.
 - b. Shows how the process performs dynamically over time.
 - c. See **Supplement E**, “Simulation”

7. Redesigning and Managing Process Improvements

1. Questioning and Brainstorming
 - a. A questioning attitude: ask six questions about each step in the process
 - *What* is being done?
 - *When* is it being done?
 - *Who* is doing it?
 - *Where* is it being done?
 - *How* is it being done?
 - *How well* does it do on the various metrics of importance?

TEACHING TIP


For each question, ask why? As time permits, have the class “brainstorm” Solved Problem 2 on changing auto engine oil. Have students shout out their ideas in rapid fire manner without time lost just yet for evaluation.

2. Creativity can be stimulated by having a brainstorming session: a time when a group of people, knowledgeable on the process propose ideas for change by saying whatever comes to mind
3. Benchmarking: focuses on setting quantitative goals for improvement
 - a. Competitive benchmarking is based on comparisons with a direct industry competitor.
 - b. Functional benchmarking compares areas such as administration, customer service, and sales operations with those of outstanding firms in any industry.

- c. Internal benchmarking involves using an organizational unit with superior performance as the benchmark for other units.
- 4. Implementing: Seven mistakes to avoid in managing processes:
 - a. Not connecting with strategic issues
 - b. Not involving the right people in the right way
 - c. Not giving the design teams and process analysts a clear charter, and then holding them accountable
 - d. Not being satisfied unless fundamental “reengineering” changes are made
 - e. Not considering the impact on people
 - f. Not giving attention to implementation
 - g. Not creating an infrastructure for continuous improvement

Operations Management: Processes and Supply Chains

Twelfth Edition



Chapter 2

Process Strategy and Analysis

Learning Objectives (1 of 2)

2.1 Understand the process structure in services and how to position a service process on the customer-contact matrix.

2.2 Understand the process structure in manufacturing and how to position a manufacturing process on the product-process matrix

2.3 Explain the major process strategy decisions and their implications for operations.

2.4 Discuss how process decisions should strategically fit together.

Learning Objectives (2 of 2)

2.5 Compare and contrast two commonly used strategies for change, and understand a systematic way to analyze and improve processes.

2.6 Discuss how to define, measure, and analyze processes.


2.7 Identify the commonly used approaches for effectively improving and controlling processes.

What is Process Strategy?

- **Process Strategy**
 - The pattern of decisions made in managing processes so that they will achieve their competitive priorities

Process Strategy

Figure 2.1 Major Decisions for Effective Processes



Process Structure in Services (1 of 2)

- **Customer Contact**

- The extent to which the customer is present, is actively involved, and receives personal attention during the service process

- **Customization**

- Service level ranging from highly customized to standardized

- **Process Divergence**

- The extent to which the process is highly customized with considerable latitude as to how its tasks are performed

- **Flow**

- How the work progresses through the sequence of steps in a process


Process Structure in Services (2 of 2)

Table 2.1 Dimensions of Customer Contact in Service Processes

Dimension	High Contact	Low Contact
Physical presence	Present	Absent
What is processed	People	Possessions or information
Contact intensity	Active, visible	Passive, out of sight
Personal attention	Personal	Impersonal
Method of delivery	Face-to-face	Regular mail or e-mail

Customer-Contact Matrix

Figure 2.2 Customer-Contact Matrix for Service Processes



Service Process Structuring

- Front Office
- Hybrid Office
- Back Office

Process Structure in Manufacturing (1 of 2)

- **Process Choice**

- A way of structuring the process by organizing resources around the process or organizing them around the products.

- Job Process

- Batch Process


- Small or Large

- Line Process

- Continuous-Flow Process

Process Structure in Manufacturing (2 of 2)

Figure 2.3 Product-Process Matrix for Manufacturing Processes



Production and Inventory Strategies

- **Design-to-Order Strategy**
- **Make-to-Order Strategy**
- **Assemble-to-Order Strategy**
 - Postponement
 - Mass Customization
- **Make-to-Stock Strategy**
 - Mass Production

Layout

- **Layout**
 - The physical arrangement of operations (or departments) created from the various processes and put in tangible form.
- **Operation**
 - A group of human and capital resources performing all or part of one or more processes

Process Strategy Decisions

- Customer Involvement
- Resource Flexibility
- Capital Intensity

Customer Involvement (1 of 2)

- **Possible Advantages**

- Increased net value to the customer
- Better quality, faster delivery, greater flexibility, and lower cost
- Reduction in product, shipping, and inventory costs
- Coordination across the supply chain

Customer Involvement (2 of 2)


- **Possible Disadvantages**

- Can be disruptive
- Managing timing and volume can be challenging
- Could be favorable or unfavorable quality implications
- Requires interpersonal skills
- Multiple locations may be necessary

Resource Flexibility

- **Workforce**
 - Flexible workforce
- **Equipment**
 - General-purpose
 - Special-purpose

Figure 2.4 Relationship between Process Costs and Product Volume




Capital Intensity


- **Automating Manufacturing Processes**
 - Fixed Automation
 - Flexible (Programmable) Automation
- **Automating Service Processes**
- **Economies of Scope**

Decision Patterns for Manufacturing Processes

Figure 2.5 Links of Competitive Priorities with Manufacturing Strategy



(a) Links with Process Choice



Gaining Focus

- **Focus by Process Segments**
 - Plant Within Plants (PWPs)
 - Different operations within a facility with individualized competitive priorities, processes, and workforces under the same roof.
 - Focused Service Operations
 - Focused Factories
 - The result of a firm's splitting large plants that produced all the company's products into several specialized smaller plants.

Process Reengineering (1 of 2)

- **Reengineering**

- The fundamental rethinking and radical redesign of processes to improve performance dramatically in terms of cost, quality, service, and speed

Process Reengineering (2 of 2)

- **Key elements**
 - Critical processes
 - Strong leadership
 - Cross-functional teams
 - Information technology
 - Clean-slate philosophy
 - Process analysis

Process Improvement

- **Process Improvement**
 - The systematic study of the activities and flows of each process to improve it


What is Process Analysis?

- **Process Analysis**

- The documentation and detailed understanding of how work is performed and how it can be redesigned

Six Sigma Process Improvement Model (1 of 2)

Figure 2.6 Six Sigma Process Improvement Model



Six Sigma Process Improvement Model (2 of 2)

- **Define** - The scope and boundaries of the process to be analyzed are first established
- **Measure** - The metrics to evaluate how to improve the process are determined
- **Analyze** - A process analysis is done, using the data on measures, to determine where improvements are necessary
- **Improve** - The team uses analytical and critical thinking to generate a long list of ideas for improvement
- **Control** - The process is monitored to make sure that high performance levels are maintained

Defining, Measuring, and Analyzing the Process (1 of 3)

- Flowcharts
- Work Measurement Techniques
- Process Charts
- Data Analysis Tools

Defining, Measuring, and Analyzing the Process (2 of 3)

Flowchart

- A diagram that traces the flow of information, customers, equipment, or materials through the various steps of a process


Service Blueprint

- A special flowchart of a service process that shows which steps have high customer contact

Swim Lane Flowchart

Swim Lane Flowchart – A visual representation that groups functional areas responsible for different subprocesses into lanes.

Figure 2.7 Swim Lane Flowchart of the Order-Filling Process Showing Handoffs between Departments



Source: D. Kroenke, **Using MIS**, 4th ed., © 2012. Reprinted and electronically reproduced by permission of Pearson Education, Inc., Upper Saddle River, New Jersey.

Defining, Measuring and Analyzing the Process (3 of 3)

- **Work Measurement Techniques**
 - Time Study
 - Elemental Standard Data Method
 - Predetermined Data Method
 - Work Sampling Method
 - Learning Curve Analysis

Example 1 (1 of 3)

A process at a watch assembly plant has been changed. The process is divided into three work elements. A time study has been performed with the following results. The time standard for the process previously was 14.5 minutes. Based on the new time study, should the time standard be revised?

Example 1 (2 of 3)

The new time study had an initial sample of four observations, with the results shown in the following table. The performance rating factor (RF) is shown for each element, and the allowance for the whole process is 18 percent of the total **normal** time.

	Obs 1	Obs 2	Obs 3	Obs 4	Average (min)	RF	Normal Time
Element 1	2.60	2.34	3.12	2.86	2.730	1.0	2.730
Element 2	4.94	4.78	5.10	4.68	4.875	1.1	5.363
Element 3	2.18	1.98	2.13	2.25	2.135	0.9	1.922

Total Normal Time = 10.015

Example 1 (3 of 3)

The normal time for an element in the table is its average time, multiplied by the RF.

The total normal time for the whole process is the sum of the normal times for the three elements, or 10.015 minutes. To get the standard time (ST) for the process, just add in the allowance, or

$$ST = 10.015(1 + 0.18) = \mathbf{11.82 \text{ minutes/watch}}$$

The time to assemble a watch appears to have decreased considerably. However, based on the precision that management wants, the analyst decided to increase the sample size before setting a new standard.

Work Measurement Techniques (1 of 2)

Work Sampling

Figure 2.8 Work Sampling Study of Admission Clerk at Health Clinic using OM Explorer's Time Study Solver

(a) Input Data and Numerical Results

Increase Observations		Remove An Observation	
Confidence z	1.96	Precision p	0.05
Observation Period	Times Busy	Times Idle	Observations
Monday	6	1	7
Tuesday	5	2	7
Wednesday	7	0	7
Thursday	9	2	11
Friday	5	5	10
Total	32	10	42


(b) Idle Time and Observations Required

Portion of idle times	0.2381
Total observations required	279
Additional observations required	237

Work Measurement Techniques (2 of 2)

Learning Curves

Figure 2.9 Learning Curve with 80% Learning Rate Using OM Explorer's Learning Curves Solver



Process Charts (1 of 6)

- **Process Charts** - An organized way of documenting all the activities performed by a person or group of people, at a workstation, with a customer, or working with certain materials
- **Activities are typically organized into five categories:**
 - Operation ●
 - Transportation ➡
 - Inspection ■
 - Delay ►
 - Storage ▼

Process Charts (2 of 6)

Figure 2.10 Process Chart for Emergency Room Admission

Step No.	Time (min)	Distance (ft)	●	➔	■	◐	▼	Step Description
1	0.50	15.0						Enter emergency room, approach patient window
2	10.00							Sit down and fill out patient history
3	0.75	40.0						Nurse escorts patient to ER triage room
4	3.00							Nurse inspects injury
5	0.75	40.0						Return to waiting room
6	1.00							Wait for available bed
7	1.00	60.0						Go to ER bed
8	4.00							Wait for doctor
9	5.00							Doctor inspects injury and questions patient
10	2.00	200.0						Nurse takes patient to radiology
11	3.00							Technician x-rays patient
12	2.00	200.0						Return to bed in ER
13	3.00							Wait for doctor to return
14	2.00							Doctor provides diagnosis and advice
15	1.00	60.0						Return to emergency entrance area
16	4.00							Check out
17	2.00	180.0						Walk to pharmacy
18	4.00							Pick up prescription
19	1.00	20.0						Leave the building

Process Charts (3 of 6)

Figure 2.10 [continued]

Summary				
Activity		Number of Steps	Time (min)	Distance (ft)
Operation	●	5	23.00	
Transport	➡	9	11.00	815
Inspect	■	2	8.00	
Delay	◐	3	8.00	
Store	▼	—	—	

Process Charts (4 of 6)

Figure 2.10 [continued]

Step No.	Time (min)	Distance (ft)	●	➡	■	◐	▼	Step Description
1	0.50	15.0		X				Enter emergency room, approach patient window
2	10.00		X					Sit down and fill out patient history
3	0.75	40.0		X				Nurse escorts patient to ER triage room
4	3.00				X			Nurse inspects injury
5	0.75	40.0		X				Return to waiting room
6	1.00					X		Wait for available bed
7	1.00	60.0		X				Go to ER bed
8	4.00					X		Wait for doctor
9	5.00				X			Doctor inspects injury and questions patient
10	2.00	200.0		X				Nurse takes patient to radiology
11	3.00		X					Technician x-rays patient
12	2.00	200.0		X				Return to bed in ER
13	3.00					X		Wait for doctor to return
14	2.00		X					Doctor provides diagnosis and advice
15	1.00	60.0		X				Return to emergency entrance area
16	4.00		X					Check out
17	2.00	180.0		X				Walk to pharmacy
18	4.00		X					Pick up prescription
19	1.00	20.0		X				Leave the building

Process Charts (5 of 6)

- **The annual cost of an entire process can be estimated as:**

$$\text{Annual labor cost} = \left(\begin{array}{c} \text{Time to perform} \\ \text{the process in hours} \end{array} \right) \left(\begin{array}{c} \text{Variable costs} \\ \text{per hour} \end{array} \right) \left(\begin{array}{c} \text{Number of times process} \\ \text{performed each year} \end{array} \right)$$

Process Charts (6 of 6)

- **For example:**

- Average time to serve a customer is 4 hours
- The variable cost is \$25 per hour
- 40 customers are served per year

- **The total labor cost is:**

$$4 \text{ hrs/customer} \times \$25/\text{hr} \times 40 \text{ customers/yr} = \$4,000$$

Data Analysis Tools

- Checklists
- Histograms and Bar Charts
- Pareto Charts
- Scatter Diagrams
- Cause-and-Effect Diagrams (Fishbone)
- Graphs

Example 2 (1 of 3)


The manager of a neighborhood restaurant is concerned about the smaller numbers of customers patronizing his eatery. Complaints have been rising, and he would like to find out what issues to address and present the findings in a way his employees can understand.

The manager surveyed his customers over several weeks and collected the following data:

Complaint	Frequency
Discourteous server	12
Slow service	42
Cold dinner	5
Cramped table	20
Atmosphere	10


Example 2 (2 of 3)

Figure 2.11 Bar Chart



Example 2 (3 of 3)

Figure 2.12 Pareto Chart



Example 3 (1 of 4)

A process improvement team is working to improve the production output at the Johnson Manufacturing plant's header cell that manufactures a key component, headers, used in commercial air conditioners.

Currently the header production cell is scheduled separately from the main work in the plant.

Example 3 (2 of 4)


- The team conducted extensive on-site observations across the six processing steps within the cell and they are as follows:
 1. Cut copper pipes to the appropriate length
 2. Punch vent and sub holes into the copper log
 3. Weld a steel supply valve onto the top of the copper log
 4. Braze end caps and vent plugs to the copper log
 5. Braze stub tubes into each stub hole in the copper log
 6. Add plastic end caps to protect the newly created header

Example 3 (3 of 4)

- To analyze all the possible causes of that problem, the team constructed a cause-and-effect diagram.
- Several suspected causes were identified for each major category.

Example 3 (4 of 4)

Figure 2.13 Cause-and-Effect Diagram for Inadequate Header Production



Example 4 (1 of 3)

The Wellington Fiber Board Company produces headliners, the fiberglass components that form the inner roof of passenger cars. Management wanted to identify which process failures were most prevalent and to find the cause.

- **Step 1:** A checklist of different types of process failures is constructed from last month's production records.
- **Step 2:** A Pareto chart prepared from the checklist data indicated that broken fiber board accounted for 72 percent of the process failures.
- **Step 3:** A cause-and-effect diagram for broken fiber board identified several potential causes for the problem. The one strongly suspected by the manager was employee training.
- **Step 4:** The manager reorganizes the production reports into a bar chart according to shift because the personnel on the three shifts had varied amounts of experience.


Example 4 (2 of 3)

Figure 2.14 Application of the Tools for Improving Quality

Step 1. Checklist

Headliner failures		
Process failure	Tally	Total
A. Tears in fabric		4
B. Discolored fabric		3
C. Broken fiber board	 	36
D. Ragged edges		7
		Total 50


Step 2. Pareto Chart




Example 4 (3 of 3)

Figure 2.14 [continued]

Step 3. Cause-and-Effect Diagram



Step 4. Bar Chart



Redesigning and Managing Process Improvements (1 of 4)

- Questioning and Brainstorming
- Benchmarking
- Implementing

Redesigning and Managing Process Improvements (2 of 4)

- Questioning and Brainstorming
- Ideas can be uncovered by asking six questions:
 1. **What** is being done?
 2. **When** is it being done?
 3. **Who** is doing it?
 4. **Where** is it being done?
 5. **How** is it being done?
 6. **How well** does it do on the various metrics of importance?

Brainstorming – Letting a group of people, knowledgeable about the process, propose ideas for change by saying whatever comes to mind

Redesigning and Managing Process Improvements (3 of 4)

- **Benchmarking**

- A systematic procedure that measures a firm's processes, services, and products against those of industry leaders

Redesigning and Managing Process Improvements (4 of 4)

- **Implementing**

- Avoid the following seven mistakes:

1. Not connecting with strategic issues
2. Not involving the right people in the right way
3. Not giving the Design Teams and Process Analysts a clear charter, and then holding them accountable
4. Not being satisfied unless fundamental “reengineering” changes are made
5. Not considering the impact on people
6. Not giving attention to implementation
7. Not creating an infrastructure for continuous process improvement

Solved Problem 1 (1 of 3)

Create a flowchart for the following telephone-ordering process at a retail chain that specializes in selling books and music CDs. It provides an ordering system via the telephone to its time-sensitive customers besides its regular store sales.

The automated system greets customers, asks them to choose a tone or pulse phone, and routes them accordingly.


The system checks to see whether customers have an existing account. They can wait for the service representative to open a new account.

Customers choose between order options and are routed accordingly.

Customers can cancel the order. Finally, the system asks whether the customer has additional requests; if not, the process terminates.


Solved Problem 1 (2 of 3)

Figure 2.16 Flowchart of Telephone Ordering Process



Solved Problem 1 (3 of 3)

Figure 2.16 [continued]



Solved Problem 2 (1 of 4)

An automobile service is having difficulty providing oil changes in the 29 minutes or less mentioned in its advertising. You are to analyze the process of changing automobile engine oil. The subject of the study is the service mechanic. The process begins when the mechanic directs the customer's arrival and ends when the customer pays for the services.

Solved Problem 2 (2 of 4)

Figure 2.17 Process Chart for Changing Engine Oil

Step No.	Time (min)	Distance (ft)	●	➔	■	◐	▼	Step Description
1	0.80	50.0		X				Direct customer into service bay
2	1.80		X					Record name and desired service
3	2.30				X			Open hood, verify engine type, inspect hoses, check fluids
4	0.80	0.30		X				Walk to customer in waiting area
5	0.60		X					Recommend additional services
6	0.70					X		Wait for customer decision
7	0.90	70.0		X				Walk to storeroom
8	1.90		X					Look up filter number(s)
9	0.40				X			Check filter number(s)
10	0.60	50.0		X				Carry filter(s) to service pit
11	4.20		X					Perform under-car services
12	0.70	40.0		X				Climb from pit, walk to automobile
13	2.70		X					Fill engine with oil, start engine
14	1.30				X			Inspect for leaks
15	0.50	40.0		X				Walk to pit
16	1.00				X			Inspect for leaks
17	3.00		X					Clean and organize work area
18	0.70	80.0		X				Return to auto, drive from bay
19	0.30						X	Park the car
20	0.50	60.0		X				Walk to customer waiting area
21	2.30		X					Total charges, receive payment

Solved Problem 2 (3 of 4)

Figure 2.17 [continued]

Summary				
Activity		Number of Steps	Time (min)	Distance (ft)
Operation	●	7	16.50	
Transport	➡	8	5.50	420
Inspect	■	4	5.00	
Delay	◐	1	0.70	
Store	▼	1	0.30	

Solved Problem 2 (4 of 4)

The times add up to 28 minutes, which does not allow much room for error if the 29-minute guarantee is to be met and the mechanic travels a total of 420 feet.

Solved Problem 3

What improvement can you make in the process shown in Solved Problem 2?

- a. Move Step 17 to Step 21. Customers should not have to wait while the mechanic cleans the work area.
- b. Store small inventories of frequently used filters in the pit. Steps 7 and 10 involve travel to and from the storeroom.
- c. Use two mechanics. Steps 10, 12, 15, and 17 involve running up and down the steps to the pit. Much of this travel could be eliminated.

Solved Problem 4 (1 of 4)

Vera Johnson and Merris Williams manufacture vanishing cream. Their packaging process has four steps: (1) mix, (2) fill, (3) cap, and (4) label. They have had the reported process failures analyzed, which shows the following:

Defect	Frequency
Lumps of unmixed product	7
Over- or underfilled jars	18
Jar lids did not seal	6
Labels rumpled or missing	29
Total	60

Draw a Pareto chart to identify the vital defects.

Solved Problem 4 (2 of 4)

Defective labels account for 48.33 percent of the total number of defects:

$$\frac{29}{60} \times 100\% = \mathbf{48.33\%}$$

Improperly filled jars account for 30 percent of the total number of defects:

$$\frac{18}{60} \times 100\% = \mathbf{30.00\%}$$

The cumulative percent for the two most frequent defects is

$$48.33\% + 30.00 = \mathbf{78.33\%}$$

Solved Problem 4 (3 of 4)

Lumps represent $\frac{7}{60} \times 100\% = 11.67\%$ of defects;

the cumulative percentage is

$$78.33\% + 11.67\% = \mathbf{90.00\%}$$


Defective seals represent $\frac{6}{60} \times 100\% = 10\%$ of defects;

the cumulative percentage is

$$10\% + 90\% = \mathbf{100.00\%}$$

Solved Problem 4 (4 of 4)

Figure 2.18 Pareto Chart



Copyright



This work is protected by United States copyright laws and is provided solely for the use of instructors in teaching their courses and assessing student learning. Dissemination or sale of any part of this work (including on the World Wide Web) will destroy the integrity of the work and is not permitted. The work and materials from it should never be made available to students except by instructors using the accompanying text in their classes. All recipients of this work are expected to abide by these restrictions and to honor the intended pedagogical purposes and the needs of other instructors who rely on these materials.